SECOND SUPPLEMENT TO THE GIBRALTAR GAZETTE

No. 4965 GIBRALTAR Thursday 9th June 2022

LEGAL NOTICE NO. 144 OF 2022

EUROPEAN UNION (WITHDRAWAL) ACT 2019

TRADE IN ENDANGERED SPECIES OF WILD FAUNA AND FLORA (COUNCIL REGULATION (EC) NO 338-97) (AMENDMENT) REGULATIONS 2022

In exercise of the powers conferred upon him by Article 19(5) of Council Regulation (EC) No 338/97 on the protection of species of wild fauna and flora by regulating trade therein, and in consultation with the Scientific Authority, the Minister has made the following Regulations-

Title.

1. These Regulations may be cited as the Trade in Endangered Species of Wild Fauna and Flora (Council Regulation (EC) No 338/97)(Amendment) Regulations 2022.

Commencement.

2. These Regulations come into operation on 13 June 2022.

Amendments to the Annex to Council Regulation (EC) No 338/97.

3. The Annex to Council Regulation (EC) No 338/97 is replaced with the text in the Schedule.

SCHEDULE

ANNEX

Notes on interpretation of Annexes A, B, C and D

1. Species included in Annexes A, B, C and D are referred to:

- (a) by the name of the species; or
- (b) as being all of the species included in a higher taxon or designated part thereof.
- 2. The abbreviation 'spp.' is used to denote all species of a higher taxon.

3. Other references to taxa higher than species are for the purposes of information or classification only.

4. Species printed in bold in Annex A are listed there in consistency with their protection as provided for by Directive 2009/147/EC of the European Parliament and of the Council (5) or Council Directive 92/43/EEC (6).

5. The following abbreviations are used for plant taxa below the level of species:

- (a) 'ssp.' is used to denote subspecies;
- (b) 'var(s).' is used to denote variety (varieties); and
- (c) 'fa.' is used to denote forma.

6. The symbols '(I)', '(II)' and '(III)' placed against the name of a species or higher taxon refer to the Appendices to the Convention in which the species concerned are listed as indicated in notes 7, 8 and 9. Where none of these annotations appears, the species concerned are not listed in the Appendices to the Convention.

7.(I) against the name of a species or higher taxon indicates that the species or higher taxon concerned is included in Appendix I to the Convention.

8.(II) against the name of a species or higher taxon indicates that the species or higher taxon concerned is included in Appendix II to the Convention.

9.(III) against the name of a species or higher taxon indicates that it is included in Appendix III to the Convention. In this case the country with respect to which the species or higher taxon is included in Appendix III is also indicated.

10. 'Cultivar' means, following the definition of the 8th edition of the International Code of Nomenclature for Cultivated Plants, an assemblage of plants that (a) has been selected for a particular character or combination of characters, (b) is distinct, uniform, and stable in these characters, and (c) when propagated by appropriate means, retains those characters. No new taxon of a cultivar can be regarded as such until its category name and circumscription has been formally published in the latest edition of the International Code of Nomenclature for Cultivated Plants.

11. Hybrids may be specifically included in the Appendices but only if they form distinct and stable populations in the wild. Hybrid animals that have in their previous four generations of the lineage one or more specimens of species included in Annexes A or B shall be subject to this Regulation just as if they were full species, even if the hybrid concerned is not specifically included in the Annexes.

12. When a species is included in Annex A, B or C, the whole animal or plant, whether alive or dead, and all parts and derivatives thereof are also included. Regarding animal species listed in Annex C and plant species listed in Annex B or C, all parts and derivatives of the species are also included in the same Annex unless the species is annotated to indicate that only specific parts and derivatives are included. In accordance with Article 2(t), the symbol '#' followed by a number placed against the name of a species or higher taxon included in Annex B or C designates parts or derivatives which are specified in relation thereto for the purposes of this Regulation as follows:

- #1 Designates all parts and derivatives, except:
 - (a) seeds, spores and pollen (including pollinia);
 - (b) seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;
 - (c) cut flowers of artificially propagated plants; and
 - (d) fruits and parts and derivatives thereof of artificially propagated plants of the genus *Vanilla*.
- #2 Designates all parts and derivatives, except:
 - (a) seeds and pollen; and
 - (b) finished products packaged and ready for retail trade.
- #3 Designates whole and sliced roots and parts of roots, excluding manufactured parts or derivatives, such as powders, pills, extracts, tonics, teas and confectionery.
- #4 Designates all parts and derivatives, except:

- (a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from Beccariophoenix madagascariensis and Dypsis decaryi exported from Madagascar;
- (b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
- (c) cut flowers of artificially propagated plants;
- (d) fruits and parts and derivatives thereof of naturalized or artificially propagated plants of the genus Vanilla (Orchidaceae) and of the family Cactaceae;
- (e) stems, flowers, and parts and derivatives thereof of naturalized or artificially propagated plants of the genera Opuntia subgenus Opuntia and Selenicereus (Cactaceae); and
- (f) finished products of Aloe ferox and Euphorbia antisyphilitica packaged and ready for retail trade.
- #5 Designates logs, sawn wood and veneer sheets.
- #6 Designates logs, sawn wood, veneer sheets and plywood.
- #7 Designates logs, wood-chips, powder and extracts.
- #8 Designates underground parts (i.e. roots, rhizomes): whole, parts and powdered.
- #9 Designates all parts and derivatives, except those bearing a label 'Produced from Hoodia spp. material obtained through controlled harvesting and production under the terms of an agreement with the relevant CITES Management Authority of [Botswana under agreement No. BW/xxxxxx] [Namibia under agreement No. NA/xxxxx] [South Africa under agreement No. ZA/xxxxxx]'.
- #10 Designates logs, sawn wood, veneer sheets, including unfinished wood articles used for the fabrication of bows for stringed musical instruments.
- #11 Designates logs, sawn wood, veneer sheets, plywood, powder and extracts. Finished products containing such extracts as ingredients, including fragrances, are not considered to be covered by this annotation.
- #12 Designates logs, sawn wood, veneer sheets, plywood and extracts. Finished products containing such extracts as ingredients, including fragrances, are not considered to be covered by this annotation.
- #13 Designates the kernel (also known as 'endosperm', 'pulp' or 'copra') and any derivative thereof, except finished products packaged and ready for retail trade.

#14 Designates all parts and derivatives, except:

- (a) seeds and pollen;
- (b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
- (c) fruits;
- (d) leaves;
- (e) exhausted agarwood powder, including compressed powder in all shapes; and
- (f) finished products packaged and ready for retail trade, this exemption does not apply to wood chips, beads, prayer beads and carvings.
- #15 Designates all parts and derivatives, except:
 - (a) leaves, flowers, pollen, fruits, and seeds;
 - (b) finished products to a maximum weight of wood of the listed species of up to 10 kg per shipment;
 - (c) finished musical instruments, finished musical instrument parts and finished musical instrument accessories;
 - (d) parts and derivatives of Dalbergia cochinchinensis, which are covered by Annotation #4;
 - (e) parts and derivatives of Dalbergia spp. originating and exported from Mexico, which are covered by Annotation #6.
- #16 Designates seeds, fruits, and oils.
- #17 Designates logs, sawn wood, veener sheets, plywood and transformed wood.
- #18 Excluding parts and derivatives, other than eggs.

13. The terms and expressions below, used in annotations in these Annexes, are defined as follows:

Extract

Any substance obtained directly from plant material by physical or chemical means regardless of the manufacturing process. An extract may be solid (e.g. crystals, resin, fine or coarse particles), semisolid (e.g. gums, waxes) or liquid (e.g. solutions, tinctures, oil and essential oils).

Finished musical instruments

A musical instrument (as referenced by the Harmonized System of the World Customs Organization, Chapter 92; musical instruments, parts and accessories of such articles) that is ready to play or needs only the installation of parts to make it playable. This term includes antique instruments (as defined by the Harmonized System codes 97.05 and 97.06; Works of art, collectors' pieces and antiques).

Finished musical instrument accessories

A musical instrument accessory (as referenced by the Harmonized System of the World Customs Organization, Chapter 92; musical instruments, parts and accessories of such articles) that is separate from the musical instrument, and is specifically designed or shaped to be used explicitly in association with an instrument, and that requires no further modification to be used.

Finished musical instrument parts

A part (as referenced by the Harmonized System of the World Customs Organization, Chapter 92; musical instruments, parts and accessories of such articles) of a musical instrument that is ready to install and is specifically designed and shaped to be used explicitly in association with the instrument to make it playable.

Finished products packaged and ready for retail trade

Products, shipped singly or in bulk, requiring no further processing, packaged, labelled for final use or the retail trade in a state fit for being sold to or used by the general public.

Powder

A dry, solid substance in the form of fine or coarse particles.

Shipment

Cargo transported under the terms of a single bill of lading or air waybill, irrespective of the quantity or number of containers or packages; or pieces worn, carried or included in personal baggage.

10 kg per shipment

For the term "10 kg per shipment", the 10 kg limit should be interpreted as referring to the weight of the individual portions of each item in the shipment made of wood of the species concerned. In other words, the 10 kg limit is to be assessed against the weight

of the individual portions of wood of Dalbergia/Guibourtia species contained in each item of the shipment, rather than against the total weight of the shipment.

Transformed wood

Defined by Harmonized System code 44.09. Wood (including strips, friezes for parquet flooring, not assembled), continuously shaped (tongued, grooved, v-jointed, beaded or the like) along any edges, ends or faces, whether or not planed, sanded or end-jointed.

Woodchips

Wood that has been reduced to small pieces.

14. As none of the species or higher taxa of FLORA included in Annex A is annotated to the effect that its hybrids shall be treated in accordance with Article 4(1), this means that artificially propagated hybrids produced from one or more of these species or taxa may be traded with a certificate of artificial propagation, and that seeds and pollen (including pollinia), cut flowers, seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers of these hybrids are not subject to this Regulation.

15. Urine, faeces and ambergris which are waste products and gained without the manipulation of the animal concerned are not subject to this Regulation.

16. In respect of fauna species listed in Annex D, this Regulation shall apply only to live specimens and whole, or substantially whole, dead specimens except for taxa which are annotated as follows to show that other parts and derivatives are also covered:

§1 Any whole, or substantially whole, skins, raw or tanned.

17. In respect of flora species listed in Annex D, this Regulation shall apply only to live specimens except for taxa which are annotated as follows to show that other parts and derivatives are also covered:

- §2 Dried and fresh plants, including, where appropriate; leaves, roots/rootstock, stems, seeds/spores, bark and fruits.
- §4 Designates all parts and derivatives, except:
 - (a) seeds and pollen;
 - (b) finished products packaged and ready for retail trade.
- §5 Designates logs, sawn wood, veener sheets, plywood and transformed wood. (*)

(*) Defined by Harmonized System code 44.09: Wood (including strips, friezes for parquet flooring, not assembled), continuously shaped (tongued, grooved, v-jointed, beaded or the like) along any edges, ends or faces, whether or not planed, sanded or end-jointed.

| | Annex A | Annex B | Annex C | Common name |
|----------------|--|-------------------------|---|---|
| | | FAUNA | | |
| | | CHORDATA (CHORDATES) | | |
| MAMMALIA | | | | Mammals |
| ARTIODACTYLA | | | | |
| Antilocapridae | Antilocapra americana (I) (Only the population of Mexico; no other population is included in the Annexes to this Regulation) | | | Pronghorn Mexican pronghorn |
| Bovidae | | | | Antelopes, cattle, duikers, gazelles, goats, sheep etc. |
| | Addax nasomaculatus (I) | | | Addax |
| | | Ammotragus lervia (II) | | Barbary sheep |
| | | | <i>Antilope cervicapra</i> (III Nepal / Pakistan) | Blackbuck |
| | Bos gaurus (I) (Excludes the domesticated form referenced as Bos frontalis which is not subject to this Regulation) Bos mutus (I) (Excludes | | | Gaur Wild yak |
| | the domesticated form referenced as <i>Bos</i> <i>grunniens</i> which is not subject to this Regulation) | | | |
| | Bos sauveli (I) | | | Kouprey |
| | | | Boselaphus tragocamelus (III Pakistan) | Nilgai |
| | | | Bubalus arnee (III Nepal) (Excludes the domesticated form referenced as Bubalus bubalis, which is not subject to this Regulation) | Wild Asiatic buffalo |
| | Bubalus depressicornis (I) | | | Lowland anoa |
| | Bubalus mindorensis (I) | | | Tamarau |

| ĺ | Bubalus quarlesi (I) | | | Mountain anoa |
|---|---|--------------------------------------|---|------------------------|
| | | Budorcas taxicolor (II) | | Takin |
| | Capra falconeri (I) | | | Markhor |
| | | Capra caucasica (II) | | Caucasian Tur |
| | | | Capra hircus | Wild goat |
| | | | <i>aegagrus</i> (III Pakistan) (Specimens of the domesticated form are not subject | |
| | | | to this Regulation) | C'1 ' II |
| | | | <i>Capra sibirica</i> (III Pakistan) | Siberian Ibex |
| | Capricornis milneedwardsii (I) | | | Chinese serow |
| | Capricornis rubidus (I) | | | Red serow |
| | Capricornis sumatraensis (I) | | | Sumatran serow |
| | Capricornis thar (I) | | | Himalayan serow |
| | | Cephalophus brookei (II) | | Brooke's duiker |
| | | Cephalophus dorsalis (II) | | Bay duiker |
| | Cephalophus jentinki (I) | | | Jentink's duiker |
| | | Cephalophus ogilbyi (II) | | Ogilby's duiker |
| | | Cephalophus silvicultor (II) | | Yellow-backed duiker |
| | | Cephalophus zebra (II) | | Zebra duiker |
| | | Damaliscus pygargus pygargus (II) | | Bontebok |
| | | | <i>Gazella bennettii</i> (III Pakistan) | Chinkara |
| | Gazella cuvieri (I) | | | Cuvier's gazelle |
| | | | <i>Gazella dorcas</i> (III Algeria / Tunisia) | Dorcas gazelle |
| | Gazella leptoceros (I) | | | Slender-horned gazelle |
| | <i>Hippotragus niger variani</i> (I) | | | Giant sable antelope |
| | (*) | Kobus leche (II) | | Lechwe |
| | Naemorhedus baileyi (I) | | | Red goral |
| | Naemorhedus caudatus (I) | | | Long-tailed goral |
| | Naemorhedus goral (I) | | | Himalayan goral |

| Naemorhedus griseus (I) | | | Chinese goral |
|---|---|--|-----------------------|
| Nanger dama (I) | | | Dama gazelle |
| Oryx dammah (I) | | | Scimitar-horned oryx |
| Oryx leucoryx (I) | | | Arabian oryx |
| | Ovis ammon (II) | | Altai argali |
| | Ovis arabica (II) | | Arabian wild sheep |
| | Ovis bochariensis (II) | | Bukhara urial |
| | Ovis canadensis (II) (Only the population of Mexico; no other population is included in the Annexes to this Regulation) | | Mexican bighorn sheep |
| | Ovis collium (II) | | Kazakhstan argali |
| | Ovis cycloceros (II) | | Afghan urial |
| | Ovis darwini (II) | | Gobi argali |
| <i>Ovis gmelini</i> (I) (population of Cyprus) | | | Anatolian sheep |
| Ovis hodgsoni (I) | | | Tibetan argali |
| | Ovis jubata (II) | | Shansi argali |
| | Ovis karelini (II) | | Tianshan argali |
| Ovis nigrimontana (I) | | | Karatau argali |
| | Ovis polii (II) | | Marco Polo argali |
| | Ovis punjabiensis (II) | | Punjab urial |
| | Ovis severtzovi (II) | | Severtzov's agali |
| Ovis vignei (I) | | | Ladakh urial |
| Pantholops hodgsonii (I) | | | Chiru |
| | Philantomba monticola (II) | | Blue duiker |
| | | <i>Pseudois nayaur</i> (III Pakistan) | Bharal |
| Pseudoryx nghetinhensis (I) | | | Saola |
| Rupicapra pyrenaica ornata (II) | | | Abruzzo chamois |
| | Saiga borealis (II) (A zero export quota for wild specimens traded for commercial purposes) | | Mongolian saiga |
| | <i>Saiga tatarica</i> (II) (A zero export quota for | | Steppe saiga |

| | | wild specimens traded for commercial purposes) | . | |
|-----------|--|--|--|-----------------------------------|
| | | | <i>Tetracerus quadricornis</i> (III Nepal) | Four-horned antelope |
| Camelidae | | | | Camels, guanaco, vicuña |
| | | Lama guanicoe (II) | | Guanaco |
| | Vicugna vicugna (I) (Except for the populations of: Argentina [the populations of the Provinces of Jujuy, Catamarca and Salta, and the semi- captive populations of the Provinces of Jujuy, Salta, Catamarca, La Rioja and San Juan]; Bolivia [the whole population]; Chile [populations of the region of Tarapacá and of the region of Arica and Parinacota]; Ecuador [the whole population] and Peru [the whole population]; which are included in Annex B) | Vicugna vicugna (II) (Only the populations of Argentina [the populations of the Provinces of Jujuy, Catamarca and Salta, and the semi- captive populations of the Provinces of Jujuy, Salta, Catamarca, La Rioja and San Juan]; Bolivia [the whole population]; Chile [populations of the region of Tarapacá and of the region of Arica and Parinacota]; Ecuador [the whole population] and Peru [the whole population]; all other populations are included in Annex A) (¹) | | Vicuña |
| Cervidae | | | | Deer, huemuls, muntjacs, pudus |
| | Axis calamianensis (I) | | | Calamian deer |
| | Axis kuhlii (I) | | | Bawean deer |
| | | | Axis porcinus (III Pakistan (Except for the subspecies included in Annex A)) | Hog deer |
| | Axis porcinus annamiticus (I) | | | Indochina hog deer |
| | Blastocerus dichotomus (I) | | | Marsh deer |
| | | Cervus elaphus | | Bactrian deer |

| | | bactrianus (II) | | |
|----------------|--|---|--|---------------------------------|
| | | | <i>Cervus elaphus barbarus</i> (III Algeria / Tunisia) | Barbary deer |
| | Cervus elaphus hanglu (I) | | | Hangul |
| | Dama dama mesopotamica (I) | | | Persian fallow deer |
| | Hippocamelus spp. (I) | | | Huemuls |
| | | | <i>Mazama temama cerasina</i> (III Guatemala) | Central American red brocket |
| | Muntiacus crinifrons (I) | | | Black muntjac |
| | Muntiacus vuquangensis (I) | | | Giant muntjac |
| | | | Odocoileus virginianus mayensis (III Guatemala) | Guatemalan white-tailed deer |
| | Ozotoceros bezoarticus (I) | | | Pampas deer |
| | | Pudu mephistophiles (II) | | Northern pudu |
| | Pudu puda (I) | | | Southern pudu |
| | Rucervus duvaucelii (I) | | | Barasingha |
| | Rucervus eldii (I) | | | Eld's deer |
| Giraffidae | | Giraffa camelopardalis (II) | | Giraffes Giraffe |
| Hippopotamidae | | | | Hippopotamuses |
| | | Hexaprotodon liberiensis (II) | | Pygmy hippopotamus |
| | | Hippopotamus amphibius (II) | | Common hippopotamus |
| Moschidae | | | | Musk deer |
| | <i>Moschus</i> spp. (I) (Only the populations of Afghanistan, Bhutan, India, Myanmar, Nepal and Pakistan; all other populations are included in Annex B) | <i>Moschus</i> spp. (II) (Except for the populations of Afghanistan, Bhutan, India, Myanmar, Nepal and Pakistan, which are included in Annex A) | | Musk deer |
| Suidae | | | | Babirusa, hogs, pigs |

| | 1 | | 1 | |
|-------------|---|---|--------------------------|-------------------------|
| | Babyrousa babyrussa (I) | | | Buru babirusa |
| | Babyrousa bolabatuensis (I) | | | Bola Batu babirusa |
| | Babyrousa celebensis (I) | | | North Sulawesi babirusa |
| | Babyrousa togeanensis (I) | | | Malenge babirusa |
| | Sus salvanius (I) | | | Pygmy hog |
| Tayassuidae | | | | Peccaries |
| | | Tayassuidae spp. (II) (Except for the species included in Annex A and excluding the populations of <i>Pecari</i> <i>tajacu</i> of Mexico and the United States, which are not included in the Annexes to this Regulation) | | Peccaries |
| | Catagonus wagneri (I) | | | Chacoan peccary |
| CARNIVORA | | | | |
| Ailuridae | Ailurus fulgens (I) | | | Red panda |
| Canidae | | | | Dogs, foxes, wolves |
| | | | Canis aureus (III India) | Golden jackal |
| | <i>Canis lupus</i> (I/II) (All populations except those of Spain north of the Duero and Greece north of the 39th parallel which are listed in Annex B. Populations of Bhutan, India, Nepal and Pakistan are listed in Appendix I; all other populations are listed in Appendix II. Excludes the domesticated form and the dingo which are referenced as <i>Canis</i> <i>lupus familiaris</i> and <i>Canis lupus dingo</i>) | <i>Canis lupus</i> (II) (Only includes populations of Spain north of the Duero and Greece north of the 39th parallel. All other populations are included in Annex A. Excludes the domesticated form and the dingo which are referenced as <i>Canis lupus</i> <i>familiaris</i> and <i>Canis</i> <i>lupus dingo</i>) | | Grey wolf |

| | I | I | I | I |
|------------|------------------------|--|-----------------------------------|--|
| | Canis simensis | | | Ethiopian wolf |
| | | Cerdocyon thous (II) | | Crab-eating fox |
| | | Chrysocyon brachyurus (II) | | Maned wolf |
| | | Cuon alpinus (II) | | Dhole |
| | | Lycalopex culpaeus (II) | | Culpeo |
| | | Lycalopex fulvipes (II) | | Darwin's fox |
| | | Lycalopex griseus (II) | | South American grey fox |
| | | Lycalopex gymnocercus (II) | | Pampas fox |
| | Speothos venaticus (I) | | | Bush dog |
| | | | Vulpes bengalensis (III India) | Bengal fox |
| | | Vulpes cana (II) | | Blanford's fox |
| | | Vulpes zerda (II) | | Fennec fox |
| Eupleridae | | | | |
| | | Cryptoprocta ferox (II) | | Fossa |
| | | Eupleres goudotii (II) | | Falanouc |
| | | Fossa fossana (II) | | Malagasy civet |
| Felidae | | | | Cats, cheetahs, leopards, lions, tigers etc. |
| | | Felidae spp. (II) (Except for the species included in Annex A. Specimens of the domesticated form are not subject to this Regulation. For <i>Panthera leo</i> (African populations): A zero annual export quota is established for specimens of bones, bone pieces, bone pieces, bone products, claws, skeletons, skulls and teeth removed from the wild and traded for commercial | | Cats |

| | | purposes. Annual export quotas for trade in bones, bone pieces, bone products, claws, skeletons, skulls and teeth for commercial purposes, derived from captive breeding operations in South Africa, will be established and communicated annually to the CITES Secretariat.) | |
|-----------------------|---|--|---------------------|
| (f } 1 5 | Acinonyx jubatus (I) Annual export quotas for live specimens and nunting trophies are granted as follows: Botswana: 5; Namibia: 150; Zimbabwe: 50. The trade in such specimens is subject to Article 4(1)) | | Cheetah |
| (/ ! | Caracal caracal (I) Only the population of Asia; all other populations are ncluded in Annex B) | | Asian Caracal |
| (| Catopuma temminckii (I) | | Asian golden cat |
| 1 | Felis nigripes (I) | | Black-footed cat |
| 1 | Felis silvestris (II) | | Wild cat |
| y t Q P | Herpailurus vagouaroundi (I) (Only he populations of Central and North America; all other populations are ncluded in Annex B) | | Jaguarundi |
| 1 | Leopardus geoffroyi (I) | | Geoffroy's cat |
| 1 | Leopardus guttulus (I) | | Southern tigrina |
| 1 | Leopardus jacobita (I) | | Andean mountain cat |
| 1 | Leopardus pardalis (I) | | Ocelot |
| 1 | Leopardus tigrinus (I) | | Oncilla |
| 1 | Leopardus wiedii (I) | | Margay |
| 1 | Lynx lynx (II) | | Eurasian lynx |

| | Lynx pardinus (I) | | Iberian lynx |
|-------------|--|---|-----------------------------|
| | Neofelis diardi (I) | | Sunda clouded leopard |
| | Neofelis nebulosa (I) | | Mainland clouded leopard |
| | Panthera leo (I) (Only the populations of India; all other populations are included in Annex B) | | Asiatic lion |
| | Panthera onca (I) | | Jaguar |
| | Panthera pardus (I) | | Leopard |
| | Panthera tigris (I) | | Tiger |
| | Panthera uncia (I) | | Snow leopard |
| | Pardofelis marmorata (I) | | Marbled cat |
| | Prionailurus bengalensis bengalensis (I) (Only the populations of Bangladesh, India and Thailand; all other populations are included in Annex B) | | Bengal leopard cat |
| | Prionailurus bengalensis euptilurus (II) | | Iriomote cat |
| | Prionailurus planiceps (I) | | Flat-headed cat |
| | Prionailurus rubiginosus (I) (Only the population of India; all other populations are included in Annex B) | | Rusty-spotted cat |
| | Puma concolor (I) (Only the populations of Costa Rica and Panama; all other populations are included in Annex B) | | Costa Rican cougar |
| Herpestidae | | | Mongooses |
| | | <i>Herpestes edwardsi</i> (III India / Pakistan) | Indian grey mongoose |
| | | <i>Herpestes fuscus</i> (III India) | Indian brown mongoose |
| | | <i>Herpestes javanicus</i> (III Pakistan) | Small Asian mongoose |
| | | Herpestes javanicus auropunctatus (III India) | Small Indian mongoose |
| | | <i>Herpestes smithii</i> (III India) | Ruddy mongoose |

| | | | <i>Herpestes urva</i> (III India) | Crab-eating mongoose |
|------------|---|--|--|-------------------------------------|
| | | | Herpestes vitticollis (III India) | Stripe-necked mongoose |
| Hyaenidae | | | | Aardwolf, hyenas |
| | | | <i>Hyaena hyaena</i> (III Pakistan) | Striped hyena |
| | | | Proteles cristata (III Botswana) | Aardwolf |
| Mephitidae | | | | Skunks |
| | | Conepatus humboldtii (II) | | Humboldt's hog-nosed skunk |
| Mustelidae | | | | Badgers, martens, weasels etc. |
| Lutrinae | | | | Otters |
| | | Lutrinae spp. (II) (Except for the species included in Annex A) | | Otters |
| | Aonyx capensis microdon (I) (Only the populations of Cameroon and Nigeria; all other populations are included in Annex B) | | | Cameroon clawless otter |
| | Aonyx cinerea (I) | | | Small-clawed otter |
| | Enhydra lutris nereis (I) | | | Southern sea otter |
| | Lontra felina (I) | | | Marine otter |
| | Lontra longicaudis (I) | | | Neotropical otter |
| | Lontra provocax (I) | | | Southern river otter |
| | Lutra lutra (I) | | | European otter |
| | Lutra nippon (I) | | | Japanese otter |
| | Lutrogale perspicillata (I) | | | Smooth-coated otter |
| | Pteronura brasiliensis (I) | | | Giant otter |
| Mustelinae | | | | Grisons, martens, tayra, weasels |
| | | | Eira barbara (III | Tayra |

| | | | Honduras) | |
|-------------|---------------------------------------|--|---|-------------------------|
| | | | <i>Martes flavigula</i> (III India) | Yellow-throated marten |
| | | | <i>Martes foina intermedia</i> (III India) | Stone marten |
| | | | <i>Martes gwatkinsii</i> (III India) | Nilgiri marten |
| | | | <i>Mellivora capensis</i> (III Botswana) | Honey badger |
| | Mustela nigripes (I) | | | Black-footed ferret |
| Odobenidae | | | | Walrus |
| | | Odobenus rosmarus (III Canada) | | Walrus |
| Otariidae | | | | Fur seals, sealions |
| | | Arctocephalus spp. (II) (Except for the species included in Annex A) | | Fur seals |
| | Arctocephalus philippii (II) | , | | Juan Fernández fur seal |
| | (I) Arctocephalus townsendi (I) | | | Guadalupe fur seal |
| Phocidae | | | | Seals |
| | | Mirounga leonina (II) | | Southern elephant seal |
| | Monachus spp. (I) | | | Monk seals |
| Procyonidae | | | | Coatis, olingos |
| | | | <i>Nasua narica</i> (III Honduras) | White-nosed coati |
| | | | Nasua nasua solitaria (III Uruguay) | South Brazilian coati |
| | | | Potos flavus (III Honduras) | Kinkajou |
| Ursidae | | | | Bears |
| | | Ursidae spp. (II) (Except for the species included in Annex A) | | Bears |
| | Ailuropoda melanoleuca (I) | | | Giant panda |
| | Helarctos malayanus (I) | | | Sun bear |
| | Melursus ursinus (I) | | | Sloth bear |
| | Tremarctos ornatus (I) | | | Spectacled bear |

| | Ursus arctos (I/II) (Only the populations of Bhutan, China, Mexico and Mongolia and the subspecies Ursus arctos isabellinus are listed in Appendix I; all other populations and subspecies are listed in Appendix II) Ursus thibetanus (I) | | | Brown bear Asian black bear |
|----------------|--|-----------------------------|--|---|
| Viverridae | | | | Binturong, civets, linsangs, otter- civet, palm civet |
| | | | <i>Arctictis binturong</i> (III India) | Binturong |
| | | | <i>Civettictis civetta</i> (III Botswana) | African civet |
| | | Cynogale bennettii (II) | | Otter civet |
| | | Hemigalus derbyanus (II) | | Banded palm civet |
| | | | <i>Paguma larvata</i> (III India) | Masked palm civet |
| | | | Paradoxurus hermaphroditus (III India) | Asian palm civet |
| | | | <i>Paradoxurus jerdoni</i> (III India) | Jerdon's palm civet |
| | | Prionodon linsang (II) | | Banded linsang |
| | Prionodon pardicolor (I) | | | Spotted linsang |
| | | | <i>Viverra civettina</i> (III India) | Malabar large-spotted civet |
| | | | <i>Viverra zibetha</i> (III India) | Large Indian civet |
| | | | <i>Viverricula indica</i> (III India) | Small Indian civet |
| CETACEA | | | | Cetaceans (dolphins, porpoises, whales) |
| | CETACEA spp. (I/II) (²) | | | Cetaceans |
| CHIROPTERA | | | | |
| Phyllostomidae | | | | Broad-nosed bats |

| | | | Platyrrhinus lineatus (III Uruguay) | White-lined bat |
|--------------|----------------------------|--|--|--------------------------------|
| Pteropodidae | | | | Fruit bats, flying foxes |
| | | Acerodon spp. (II) (Except for the species included in Annex A) | | Flying foxes |
| | Acerodon jubatus (I) | | | Golden-capped fruit ba |
| | | Pteropus spp. (II) (Except for the species included in Annex A and except for Pteropus brunneus.) | | Flying foxes |
| | Pteropus insularis (I) | | | Ruck flying fox |
| | Pteropus livingstonii (II) | | | Comoro flying fox |
| | Pteropus loochoensis (I) | | | Japanese flying fox |
| | Pteropus mariannus (I) | | | Marianas flying fox |
| | Pteropus molossinus (I) | | | Caroline flying fox |
| | Pteropus pelewensis (I) | | | Pelew flying fox |
| | Pteropus pilosus (I) | | | Large Pelew flying fox |
| | Pteropus rodricensis (II) | | | Rodrigues flying fox |
| | Pteropus samoensis (I) | | | Samoan flying fox |
| | Pteropus tonganus (I) | | | Pacific flying fox |
| | Pteropus ualanus (I) | | | Kosrae flying fox |
| | Pteropus voeltzkowi (II) | | | Pemba flying fox |
| | Pteropus yapensis (I) | | | Yap flying fox |
| CINGULATA | | | | |
| Dasypodidae | | | | Armadillos |
| | | | Cabassous tatouay (III Uruguay) | Greater naked-tailed armadillo |
| | | <i>Chaetophractus</i> <i>nationi</i> (II) (A zero annual export quota has been | | Andean hairy armadille |

| | | established. All specimens shall be deemed to be specimens of species included in Annex A and the trade in them shall be regulated accordingly) | Giant armadillo |
|----------------|--------------------------------|---|--------------------------------------|
| DASYUROMORPHIA | Priodontes maximus (I) | | |
| | | | |
| Dasyuridae | | | Dunnarts, marsupial mice, planigales |
| | Sminthopsis longicaudata | | Long-tailed dunnart |
| | (I) Sminthonsis noammonhila | | Sandhill dunnart |
| | Sminthopsis psammophila (I) | | Sanunni dunnaft |
| DIPROTODONTIA | | | |
| Macropodidae | | | Kangaroos, wallabies |
| | | Dendrolagus inustus (II) | Grizzled tree-kangaroo |
| | | Dendrolagus ursinus (II) | Ursine tree-kangaroo |
| | Lagorchestes hirsutus (I) | | Rufous hare-wallaby |
| | Lagostrophus fasciatus (I) | | Banded hare-wallaby |
| | Onychogalea fraenata (I) | | Bridled nail-tail wallaby |
| Phalangeridae | | | Cuscus |
| | | Phalanger intercastellanus (II) | Eastern common cuscus |
| | | Phalanger mimicus (II) | Southern common cuscus |
| | | Phalanger orientalis (II) | Northern common cuscus |
| | | Spilocuscus kraemeri (II) | Admiralty Island cuscus |
| | | Spilocuscus maculatus (II) | Common spotted cuscus |
| | | Spilocuscus papuensis (II) | Waigeou cuscus |
| Potoroidae | | | Rat-kangaroos |

| | | | Bettongs |
|-----------------|---|--------------------------------|--------------------------------|
| | Bettongia spp. (I) | | |
| Vombatidae | | | Wombats |
| | Lasiorhinus krefftii (I) | | Northern hairy-nosed wombat |
| LAGOMORPHA | | | |
| Leporidae | | | Hares, rabbits |
| | Caprolagus hispidus (I) | | Hispid hare |
| | Romerolagus diazi (I) | | Volcano rabbit |
| MONOTREMATA | | | |
| Tachyglossidae | | | Echidnas, spiny anteaters |
| | | Zaglossus spp. (II) | Long-beaked echidnas |
| PERAMELEMORPHIA | | | |
| Peramelidae | | | |
| | Perameles bougainville (I) | | Western barred bandicoot |
| Thylacomyidae | | | |
| | Macrotis lagotis (I) | | Greater bilby |
| PERISSODACTYLA | | | |
| Equidae | | | Horses, wild asses, zebras |
| | <i>Equus africanus</i> (I) (Excludes the domesticated form referenced as <i>Equus</i> <i>asinus</i> , which is not subject to this Regulation) | | African ass |
| | Equus grevyi (I) | | Grévy's zebra |
| | Equus hemionus (I/II) (The species is listed in Appendix II but subspecies Equus hemionus hemionus and Equus hemionus khur are listed in Appendix I) | | Asiatic wild ass |
| | Equus kiang (II) | | Kiang |
| | Equus przewalskii (I) | | Przewalski's horse |
| | | Equus zebra hartmannae (II) | Hartmann's mountain zebra |
| | | Equus zebra zebra (II) | Cape mountain zebra |

| Rhinocerotidae | | | Rhinoceroses |
|----------------|--|---|------------------------------|
| | Rhinocerotidae spp. (I) (Except for the subspecies included in Annex B) | | Rhinoceroses |
| | | Ceratotherium simum simum (II) (Only the populations of Eswatini and South Africa; all other populations are included in Annex A. For the exclusive purpose of allowing international trade in live animals to appropriate and acceptable destinations and trade in hunting trophies. All other specimens shall be deemed to be specimens of species included in Annex A and trade in them shall be regulated accordingly) | Southern white rhinoceros |
| Tapiridae | | | Tapirs |
| | Tapiridae spp. (I) (Except for the species included in Annex B) | | Tapirs |
| | | Tapirus terrestris (II) | South American tapir |
| PHOLIDOTA | | | |
| Manidae | | | Pangolins |
| | | Manis spp. (II) (Except for the species included in Annex A) | Pangolins |
| | Manis crassicaudata (I) | | Indian pangolin |
| | Manis culionensis (I) | | Philippine pangolin |
| | Manis gigantea (I) | | Giant pangolin |
| | Manis javanica (I) | | Sunda pangolin |
| | Manis pentadactyla (I) | | Chinese pangolin |
| | Manis temminckii (I) | | Ground pangolin |

| | Manis tetradactyla (I) | | | Long-tailed pangolin |
|-----------------|-----------------------------------|--|--|---|
| | Manis tricuspis (I) | | | Tree pangolin |
| PILOSA | | | | |
| Bradypodidae | | | | Three-toed sloths |
| | | Bradypus pygmaeus (II) | | Pygmy tree-toed sloth |
| | | Bradypus variegatus (II) | | Brown-throated sloth |
| | | | | |
| Myrmecophagidae | | | | American anteaters |
| | | Myrmecophaga tridactyla (II) | | Giant anteater |
| | | | Tamandua mexicana (III Guatemala) | Northern tamandua |
| PRIMATES | | | | Primates (apes and monkeys) |
| | | PRIMATES spp. (II) (Except for the species included in Annex A) | | Primates |
| Atelidae | | | | Howlers, spider monkeys |
| | Alouatta coibensis (I) | | | Coiba Island howler |
| | Alouatta palliata (I) | | | Mantled howler |
| | Alouatta pigra (I) | | | Guatemalan black howler |
| | Ateles geoffroyi frontatus (I) | | | Black-browed spider monkey |
| | Ateles geoffroyi ornatus (I) | | | Red spider monkey |
| | Brachyteles arachnoides (I) | | | Southern muriqui |
| | Brachyteles hypoxanthus (I) | | | Northern muriqui |
| | Oreonax flavicauda (I) | | | Yellow-tailed woolly monkey |
| Cebidae | | | | Marmosets, tamarins, New-world monkeys |
| | Callimico goeldii (I) | | | Goeldi's marmoset |
| | Callithrix aurita (I) | | | Buffy-tufted marmoset |
| | Callithrix flaviceps (I) | | | Buffy-headed marmoset |
| | Leontopithecus spp. (I) | | | Lion tamarins |

| | Saguinus bicolor (I) | Pied tamarin |
|-----------------|-----------------------------------|-------------------------------------|
| | Saguinus geoffroyi (I) | Geoffroy's tamarin |
| | Saguinus leucopus (I) | White-footed tamarin |
| | Saguinus martinsi (I) | Martins' bare-face |
| | | tamarin |
| | Saguinus oedipus (I) | Cottontop tamarin |
| | Saimiri oerstedii (I) | Central American squirrel monkey |
| Cercopithecidae | | Old-world monkeys |
| | Cercocebus galeritus (I) | Tana River mangabey |
| | Cercopithecus diana (I) | Diana monkey |
| | Cercopithecus roloway (I) | Roloway monkey |
| | Cercopithecus solatus (II) | Sun-tailed monkey |
| | Colobus satanas (II) | Black colobus |
| | Macaca silenus (I) | Lion-tailed macaque |
| | Macaca sylvanus (I) | Barbary macaque |
| | Mandrillus leucophaeus (I) | Drill |
| | Mandrillus sphinx (I) | Mandrill |
| | Nasalis larvatus (I) | Proboscis monkey |
| | Piliocolobus foai (II) | Central African red colobus |
| | Piliocolobus gordonorum (II) | Uzungwa red colobus |
| | Piliocolobus kirkii (I) | Zanzibar red colobus |
| | Piliocolobus pennantii (II) | Pennant's red colobus |
| | Piliocolobus preussi (II) | Preuss's red colobus |
| | Piliocolobus rufomitratus (I) | Tana River red colobus |
| | Piliocolobus tephrosceles (II) | Ugandan red colobus |
| | Piliocolobus tholloni (II) | Thollon's red colobus |
| | Presbytis potenziani (I) | Mentawai langur |
| | Pygathrix spp. (I) | Douc langurs |
| | Rhinopithecus spp. (I) | Snub-nosed monkeys |
| | Semnopithecus ajax (I) | Kashmir grey langur |
| | Semnopithecus dussumieri (I) | Southern Plains grey langur |
| | Semnopithecus entellus (I) | Northern Plains grey langur |
| | Semnopithecus hector (I) | Tarai grey langur |

| | Semnopithecus hypoleucos (I) | | Black-footed grey langur |
|----------------|--------------------------------------|--|--------------------------------------|
| | Semnopithecus priam (I) | | Tufted grey langur |
| | Semnopithecus schistaceus (I) | | Nepal grey langur |
| | Simias concolor (I) | | Simakobou |
| | Trachypithecus delacouri (II) | | Delacour's langur |
| | Trachypithecus francoisi (II) | | François's langur |
| | Trachypithecus geei (I) | | Gee's golden langur |
| | Trachypithecus hatinhensis (II) | | Hatinh langur |
| | Trachypithecus johnii (II) | | Nilgiri langur |
| | Trachypithecus laotum (II) | | Laotian langur |
| | Trachypithecus pileatus (I) | | Capped langur |
| | Trachypithecus poliocephalus (II) | | White-headed langur |
| | Trachypithecus shortridgei (I) | | Shortridge's langur |
| Cheirogaleidae | | | Dwarf lemurs and mouse-lemurs |
| | Cheirogaleidae spp. (I) | | Dwarf lemurs and mouse lemurs |
| Daubentoniidae | | | Aye-aye |
| | Daubentonia madagascariensis (I) | | Aye-aye |
| Hominidae | | | Chimpanzees, gorillas, orang-utan |
| | Gorilla beringei (I) | | Eastern gorilla |
| | Gorilla gorilla (I) | | Western gorilla |
| | Pan spp. (I) | | Chimpanzee and bonobo |
| | Pongo abelii (I) | | Sumatran orangutan |
| | Pongo pygmaeus (I) | | Bornean orangutan |
| Hylobatidae | | | Gibbons |

|--|

| | Hylobatidae spp. (I) | | Gibbons |
|---------------|--|---|-------------------------------------|
| Indriidae | | | Indri, sifakas and woolly lemurs |
| | Indriidae spp. (I) | | Indri, sifakas and woolly lemurs |
| Lemuridae | | | Large lemurs |
| | Lemuridae spp. (I) | | Large lemurs |
| Lepilemuridae | | | Sportive lemurs |
| | Lepilemuridae spp. (I) | | Sportive lemurs |
| Lorisidae | | | Lorises |
| | Nycticebus spp. (I) | | Slow lorises |
| Pitheciidae | | | Uacaris, titis, sakis |
| | Cacajao spp. (I) | | Uacaris |
| | Callicebus barbarabrownae (II) | | Barbara Brown's Titi |
| | Callicebus melanochir (II) | | Coastal Black-handed Titi |
| | Callicebus nigrifrons (II) | | Black-fronted Titi |
| | Callicebus personatus (II) | | Atlantic titi |
| | Chiropotes albinasus (I) | | White-nosed saki |
| Tarsiidae | | | Tarsiers |
| | Tarsius spp. (II) | | Tarsiers |
| PROBOSCIDEA | | | |
| Elephantidae | | | Elephants |
| | Elephas maximus (I) | | Asian elephant |
| | Loxodonta africana (I) (Except for the populations of Botswana, Namibia, South Africa and Zimbabwe, which are included in Annex B) | Loxodonta africana (II) (Only the populations of Botswana, Namibia, South Africa and Zimbabwe (³); all other populations are included in Annex A) | African elephant |
| RODENTIA | | | |
| Chinchillidae | | | Chinchillas |
| | <i>Chinchilla</i> spp. (I) (Specimens of the domesticated form are | | Chinchillas |

| | not subject to this | | | |
|----------------|---------------------------|------------------------------|--|-------------------------------------|
| | Regulation) | | | |
| Cuniculidae | | | | Pacas |
| | | | <i>Cuniculus paca</i> (III Honduras) | Lowland paca |
| Dasyproctidae | | | | Agoutis |
| | | | Dasyprocta punctata (III Honduras) | Central American agouti |
| Erethizontidae | | | | New-world porcupines |
| | | | Sphiggurus mexicanus (III Honduras) | Mexican hairy dwarf porcupine |
| | | | Sphiggurus spinosus (III Uruguay) | Paraguaian hairy dwarf porcupine |
| Hystricidae | | | | Old-world porcupines |
| | Hystrix cristata | | | Crested porcupine |
| Muridae | | | | Mice, rats |
| | | Leporillus conditor (II) | | Greater stick-nest rat |
| | | Pseudomys fieldi (II) | | Shark Bay mouse |
| | | Xeromys myoides (II) | | False water rat |
| | | Zyzomys pedunculatus (II) | | Central Australian rock rat |
| Sciuridae | Concerne an anio anno (D) | | | Ground squirrels, tree squirrels |
| | Cynomys mexicanus (I) | | | Mexican prairie dog |
| | | | <i>Marmota caudata</i> (III India) | Long-tailed marmot |
| | | | <i>Marmota himalayana</i> (III India) | Himalayan marmot |
| | | Ratufa spp. (II) | | Giant squirrels |
| SCANDENTIA | | | | |
| | | SCANDENTIA spp. (II) | | Treeshrews |
| SIRENIA | | | | |
| Dugongidae | | | | Dugong |
| | Dugong dugon (I) | | | Dugong |
| Trichechidae | | | | Manatees |
| | Trichechus inunguis (I) | | | |
| | Trichechus manatus (I) | | | |

| | Trichechus senegalensis (I) | | | |
|--------------|--------------------------------------|--------------------------------|--|--------------------------------|
| AVES | | | | Birds |
| ANSERIFORMES | | | | |
| Anatidae | | | | Ducks, geese, swans etc. |
| | Anas aucklandica (I) | | | Auckland Islands teal |
| | | Anas bernieri (II) | | Madagascar teal |
| | Anas chlorotis (I) | | | Brown teal |
| | | Anas formosa (II) | | Baikal teal |
| | Anas laysanensis (I) | | | Laysan duck |
| | Anas nesiotis (I) | | | Campbell Island teal |
| | Anas querquedula | | | Garganey |
| | Asarcornis scutulata (I) | | | White-winged duck |
| | Aythya innotata | | | Madagascar pochard |
| | Aythya nyroca | | | Ferruginous duck |
| | Branta canadensis leucopareia (I) | | | Aleutian goose |
| | Branta ruficollis (II) | | | Red-breasted goose |
| | Branta sandvicensis (I) | | | Nene |
| | | Coscoroba coscoroba (II) | | Coscoroba swan |
| | | Cygnus melancoryphus (II) | | Black-necked swan |
| | | Dendrocygna arborea (II) | | West Indian whistling- duck |
| | | | Dendrocygna autumnalis (III Honduras) | Black-bellied whistling duck |
| | | | Dendrocygn a bicolor (III Honduras) | Fulvous whistling-duck |
| | Mergus octosetaceus | | | Brazilian merganser |
| | Oxyura leucocephala (II) | | | White-headed duck |
| | Rhodonessa caryophyllacea (I) | | | Pink-headed duck |
| | | Sarkidiornis melanotos (II) | | Comb duck |
| | Tadorna cristata | | | Crested shelduck |

| Trochilidae | | | | Hummingbirds |
|---------------------|---------------------------|--|--|--|
| | | Trochilidae spp. (II) | | Hummingbirds |
| | Glaucis dohrnii (I) | (Except for the species included in Annex A) | | Hook-billed hermit |
| CHARADRIIFORME S | | | | |
| Burhinidae | | | | Thick-knees |
| | | | Burhinus bistriatus (III Guatemala) | Double-striped thick- knee |
| Laridae | | | | Gulls, terns |
| | Larus relictus (I) | | | Relict gull |
| Scolopacidae | | | | Curlews, greenshanks |
| | Numenius borealis (I) | | | Eskimo curlew |
| | Numenius tenuirostris (I) | | | Slender-billed curlew |
| | Tringa guttifer (I) | | | Nordmann's greenshank |
| CICONIIFORMES | | | | |
| Ardeidae | | | | Egrets, herons |
| | Ardea alba | | | Great egret |
| | Bubulcus ibis | | | Cattle egret |
| | Egretta garzetta | | | Little egret |
| Balaenicipitidae | | Balaeniceps rex (II) | | Shoebill, whale- headed stork Shoebill |
| Ciconiidae | | | | Storks |
| | Ciconia boyciana (I) | | | Oriental stork |
| | Ciconia nigra (II) | | | Black stork |
| | Ciconia stormi | | | Storm's stork |
| | Jabiru mycteria (I) | | | Jabiru |
| | Leptoptilos dubius | | | Greater adjutant stork |
| | Mycteria cinerea (I) | | | Milky stork |
| Phoenicopteridae | | | | Flamingos |

| Threskiornithidae Ibises, spoonbills | |
|--|------|
| Eudocimus ruber (II) Scarlet ibis | |
| Geronticus calvus (II) Bald ibis | |
| Geronticus eremita (I) Waldrapp | |
| Nipponia nippon (I) Crested ibis | |
| Platalea leucorodia (II) Eurasian spoonbill | |
| Pseudibis gigantea Giant ibis | |
| COLUMBIFORMES | |
| Columbidae Doves, pigeons | |
| Caloenas nicobarica (I) Nicobar pigeon | |
| Claravis godefrida Purple-winged groun dove | nd- |
| Columba livia Rock pigeon | |
| Ducula mindorensis (I) Mindoro zone-tailed pigeon | l |
| Gallicolumba luzonica Luzon bleeding-hear (II) | rt |
| Goura spp. (II) Crowned-pigeons | |
| Leptotila wellsi Grenada dove | |
| Nesoenas mayeri (III Mauritius) Pink pigeon | |
| Streptopelia turtur European turtle-dove | e |
| CORACIIFORMES | |
| Bucerotidae Hornbills | |
| Aceros spp. (II) (Except for the species included in Annex A)Hornbills | |
| Aceros nipalensis (I) Rufous-necked horn | bill |
| Anorrhinus spp. (II) Hornbills | |

| | | | i | |
|---------------|------------------------------|--|---|--|
| | | Anthracoceros spp. (II) | | Hornbills |
| | | Berenicornis spp. (II) | | Hornbills |
| | | Buceros spp. (II) (Except for the species included in Annex A) | | Hornbills |
| | Buceros bicornis (I) | | | Great hornbill |
| | | Penelopides spp. (II) | | Hornbills |
| | Rhinoplax vigil (I) | | | Helmeted hornbill |
| | | <i>Rhyticeros</i> spp. (II) (Except for the species included in Annex A) | | Hornbills |
| | Rhyticeros subruficollis (I) | | | Plain-pouched hornbill |
| CUCULIFORMES | | | | |
| Musophagidae | | | | Turacos |
| | | <i>Tauraco</i> spp. (II) (Except for the species included in Annex A) | | Turacos |
| | Tauraco bannermani (II) | A) | | Bannerman's turaco |
| FALCONIFORMES | | | | Diurnal birds of prey (eagles, falcons, hawks, vultures) |
| | | FALCONIFORMES spp. (II) (Except for the species included in Annex A; except for one species of the family Cathartidae included in Annex C; the other species of that family are not included in the Annexes to this Regulation; and except for <i>Caracara</i> <i>lutosa</i> which is not subject to this Regulation) | | Diurnal birds of prey |
| Accipitridae | | | | Hawks, eagles |
| | Accipiter brevipes (II) | | | Levant sparrowhawk |
| | Accipiter gentilis (II) | | | Northern goshawk |
| | Accipiter nisus (II) | | | Eurasian sparrowhawk |

| (· · · · · · · · · · · · · · · · · · · | | C' I |
|--|--|--------------------------|
| Aegypius monachus (II) | | Cinereous vulture |
| Aquila adalberti (I) | | Adalbert's eagle |
| Aquila chrysaetos (II) | | Golden eagle |
| Aquila clanga (II) | | Greater spotted eagle |
| Aquila heliaca (I) | | Imperial eagle |
| Aquila pomarina (II) | | Lesser spotted eagle |
| Buteo buteo (II) | | Common buzzard |
| Buteo lagopus (II) | | Rough-legged buzzard |
| Buteo rufinus (II) | | Long-legged buzzard |
| Chondrohierax uncinatus wilsonii (I) | | Cuban hook-billed kite |
| Circaetus gallicus (II) | | Short-toed snake-eagle |
| Circus aeruginosus (II) | | Western marsh-harrier |
| Circus cyaneus (II) | | Northern harrier |
| Circus macrourus (II) | | Pallid harrier |
| Circus pygargus (II) | | Montagu's harrier |
| Elanus caeruleus (II) | | Black-winged kite |
| Eutriorchis astur (II) | | Madagascar serpent-eagle |
| Gypaetus barbatus (II) | | Lammergeier |
| Gyps fulvus (II) | | Eurasian griffon |
| Haliaeetus spp. (I/II) (Haliaeetus albicilla is listed in Appendix I; the other species are listed in Appendix II) | | Sea-eagles |
| Harpia harpyja (I) | | Harpy eagle |
| Hieraaetus fasciatus (II) | | Bonelli's eagle |
| Hieraaetus pennatus (II) | | Booted eagle |
| Leucopternis occidentalis (II) | | Grey-backed hawk |
| Milvus migrans (II) (Except for Milvus migrans lineatus which is included in Annex B) | | Black kite |
| Milvus milvus (II) | | Red kite |
| Neophron percnopterus (II) | | Egyptian vulture |
| Pernis apivorus (II) | | European honey-buzzard |

|--|

| | Pithecophaga jefferyi (I) | | | Great Philippine eagle |
|-------------|--|-----------------|---|----------------------------|
| Cathartidae | | | | New world vultures |
| | <i>Gymnogyps californianus</i> (I) | | | California condor |
| | | | Sarcoramphus papa (III Honduras) | King vulture |
| | Vultur gryphus (I) | | (| Andean condor |
| Falconidae | | | | Falcons |
| | Falco araeus (I) | | | Seychelles kestrel |
| | Falco biarmicus (II) | | | Lanner falcon |
| | Falco cherrug (II) | | | Saker falcon |
| | Falco columbarius (II) | | | Merlin |
| | Falco eleonorae (II) | | | Eleonora's falcon |
| | Falco jugger (I) | | | Laggar falcon |
| | Falco naumanni (II) | | | Lesser kestrel |
| | <i>Falco newtoni</i> (I) (Only the population of the Seychelles) | | | Newton's kestrel |
| | Falco pelegrinoides (I) | | | Barbary falcon |
| | Falco peregrinus (I) | | | Peregrine falcon |
| | Falco punctatus (I) | | | Mauritius kestrel |
| | Falco rusticolus (I) | | | Gyrfalcon |
| | Falco subbuteo (II) | | | Eurasian hobby |
| | Falco tinnunculus (II) | | | Common kestrel |
| | Falco vespertinus (II) | | | Red-footed falcon |
| Pandionidae | | | | Ospreys |
| | Pandion haliaetus (II) | | | Osprey |
| GALLIFORMES | | | | |
| Cracidae | | | | |
| | <i>Crax alberti</i> (III Colombia) | | | Blue-knobbed curassow |
| | Crax blumenbachii (I) | | | Red-billed curassow |
| | | | <i>Crax daubentoni</i> (III Colombia) | Yellow-knobbed curassow |
| | | Crax fasciolata | | Bare-faced Curassow |
| | | | <i>Crax globulosa</i> (III Colombia) | Wattled curassow |
| | | | <i>Crax rubra</i> (III Colombia / Guatemala / Honduras) | Great currasow |
| | 1 | 35 | | |

| | 1 | | I | 1 |
|--------------|-------------------------------------|-------------------------|--|---|
| | Mitu mitu (I) | | | Alagoas curassow |
| | Oreophasis derbianus (I) | | | Horned guan |
| | | | <i>Ortalis vetula</i> (III Guatemala / Honduras) | Plain chachalaca |
| | | | <i>Pauxi pauxi</i> (III Colombia) | Helmeted curassow |
| | Penelope albipennis (I) | | | White-winged guan |
| | | | Penelope purpurascens (III Honduras) | Crested guan |
| | | | <i>Penelopina nigra</i> (III Guatemala) | Highland guan |
| | Pipile jacutinga (I) | | | Black-fronted piping guan |
| | Pipile pipile (I) | | | Trinidad piping guan |
| Megapodiidae | | | | Megapodes, scrubfowl |
| | Macrocephalon maleo (I) | | | Maleo |
| Phasianidae | | | | Grouse, guineafowl, partridges, pheasants, tragopans |
| | | Argusianus argus (II) | | Great argus |
| | Catreus wallichii (I) | | | Cheer pheasant |
| | Colinus virginianus ridgwayi (I) | | | Masked bobwhite |
| | Crossoptilon crossoptilon (I) | | | White eared-pheasant |
| | Crossoptilon mantchuricum (I) | | | Brown eared-pheasant |
| | | Gallus sonneratii (II) | | Grey junglefowl |
| | | Ithaginis cruentus (II) | | Blood pheasant |
| | Lophophorus impejanus (I) | | | Himalayan monal |
| | Lophophorus lhuysii (I) | | | Chinese monal |
| | Lophophorus sclateri (I) | | | Sclater's monal |
| | Lophura edwardsi (I) | | | Edwards' pheasant |
| | | | | Kalij pheasant |
| | | | Lophura leucomelanos (III Pakistan) | |
| | Lophura swinhoii (I) | | | Swinhoe's pheasant |
| | | | <i>Meleagris ocellata</i> (III Guatemala) | Ocellated turkey |
| | Odontophorus strophium | | | Gorgeted wood-quail |
|------------|--------------------------------|---|--|--------------------------------|
| | Ophrysia superciliosa | | | Himalayan quail |
| | | | <i>Pavo cristatus</i> (III Pakistan) | Indian peafowl |
| | | Pavo muticus (II) | | Green peafowl |
| | | Polyplectron bicalcaratum (II) | | Grey peacock-pheasant |
| | | Polyplectron germaini (II) | | Germain's peacock- pheasant |
| | | Polyplectron malacense (II) | | Malayan peacock- pheasant |
| | Polyplectron napoleonis (I) | | | Palawan peacock- pheasant |
| | | Polyplectron schleiermacheri (II) | | Bornean peacock- pheasant |
| | | | <i>Pucrasia macrolopha</i> (III Pakistan) | Koklass pheasant |
| | Rheinardia ocellata (I) | | | Crested argus |
| | Syrmaticus ellioti (I) | | | Elliot's pheasant |
| | Syrmaticus humiae (I) | | | Hume's pheasant |
| | Syrmaticus mikado (I) | | | Mikado pheasant |
| | | Syrmaticus reevesii (II) | | Reeves's pheasant |
| | Tetraogallus caspius (I) | | | Caspian snowcock |
| | Tetraogallus tibetanus (I) | | | Tibetan snowcock |
| | Tragopan blythii (I) | | | Blyth's tragopan |
| | Tragopan caboti (I) | | | Cabot's tragopan |
| | Tragopan melanocephalus (I) | | | Western tragopan |
| | | | <i>Tragopan satyra</i> (III Nepal) | Satyr tragopan |
| | | Tympanuchus cupido attwateri (II) | | Attwater's prairie-chicken |
| GRUIFORMES | | | | |
| Gruidae | | | | Cranes |
| | | Gruidae spp. (II) (Except for the species included in Annex A) | | Cranes |
| | Balearica pavonina (I) | | | Black crowned crane |

| | | | | i i |
|---------------|---|--|--|--------------------|
| | Grus americana (I) | | | Whooping crane |
| | Grus canadensis (I/II) (The species is listed in Appendix II but subspecies Grus canadensis nesiotes and Grus canadensis pulla are listed in Appendix I) | | | Sandhill crane |
| | Grus grus (II) | | | Common crane |
| | Grus japonensis (I) | | | Red-crowned crane |
| | Grus leucogeranus (I) | | | Siberian crane |
| | Grus monacha (I) | | | Hooded crane |
| | Grus nigricollis (I) | | | Black-necked crane |
| | Grus vipio (I) | | | White-necked crane |
| Otididae | | | | Bustards |
| | | Otididae spp. (II) (Except for the species included in Annex A) | | Bustards |
| | Ardeotis nigriceps (I) | | | Indian bustard |
| | Chlamydotis macqueenii (I) | | | Macqueen's bustard |
| | Chlamydotis undulata (I) | | | Houbara bustard |
| | Houbaropsis bengalensis (I) | | | Bengal florican |
| | Otis tarda (II) | | | Great bustard |
| | Sypheotides indicus (II) | | | Lesser florican |
| | Tetrax tetrax (II) | | | Little bustard |
| Rallidae | | | | Coots, rails |
| | Gallirallus sylvestris (I) | | | Lord Howe rail |
| Rhynochetidae | | | | Kagu |
| | Rhynochetos jubatus (I) | | | Kagu |
| PASSERIFORMES | | | | |
| Alaudidae | | | | Larks |
| | | | <i>Alauda arvensis</i> (III Ukraine) (population of Ukraine) | Eurasian skylark |
| | | | <i>Galerida cristata</i> (III Ukraine) (population of Ukraine) | Crested lark |

| | | | <i>Lullula arborea</i> (III Ukraine) (population of | Woodlark |
|------------------|-------------------------------|--|---|---|
| | | | Ukraine) <i>Melanocorypha</i> <i>calandra</i> (III Ukraine) (population of Ukraine) | Calandra lark |
| Atrichornithidae | | | | Scrub-birds |
| | Atrichornis clamosus (I) | | | Noisy scrub-bird |
| Cotingidae | | | | Cotingas |
| | | | Cephalopterus ornatus (III Colombia) | Amazonian umbrella bird |
| | | | <i>Cephalopterus penduliger</i> (III Colombia) | Long-wattled umbrella bird |
| | Cotinga maculata (I) | | | Banded cotinga |
| | | Rupicola spp. (II) | | Cocks-of-the-rock |
| | Xipholena atropurpurea (I) | | | White-winged cotinga |
| Emberizidae | _(1) | | | Old-world buntings, cardinals, tanagers |
| | | | <i>Emberiza citrinella</i> (III Ukraine) (population of Ukraine) <i>Emberiza hortulana</i> (III Ukraine) (population of | Yellowhammer Ortolan bunting |
| | | Gubernatrix cristata | Ukraine) | Yellow cardinal |
| | | (II) Ranoaria capitata (II) | | Yellow-billed cardinal |
| | | Paroaria capitata (II) Paroaria coronata (II) | | Red-crested cardinal |
| | | Tangara fastuosa (II) | | Seven-coloured tanager |
| Estrildidae | | | | Mannikins, waxbills |
| | | Amandava formosa (II) | | Green avadavat |
| | | Lonchura fuscata | | Timor sparrow |
| | | Lonchura oryzivora (II) | | Java sparrow |
| | | Poephila cincta cincta (II) | | Southern black-throated finch |
| Fringillidae | | | | Finches |
| - | | | <i>Carduelis cannabina</i> (III Ukraine) (population of | Common linnet |

| Cardu | elis cucullata (I) | | Carduelis carduelis (III Ukraine) (population of Ukraine) Carduelis flammea (III Ukraine) (population | European goldfinch Red siskin Redpoll |
|---------------|--|---|---|---|
| Cardu | elis cucullata (I) | | <i>Carduelis flammea</i> (III Ukraine) (population | |
| | | | Ukraine) (population | Redpoll |
| | | | of Ukraine) | |
| | | | Carduelis hornemanni (III Ukraine) (population of Ukraine) | Arctic redpoll |
| | | Carduelis yarrellii (II) | <i>Carduelis spinus</i> (III Ukraine) (population of Ukraine) | Eurasian siskin |
| | | · · · · · · · · · · · · · · · · · · · | | Yellow-faced siskin |
| | | | <i>Carpodacus</i> <i>erythrinus</i> (III Ukraine) (population of Ukraine) | Common rosefinch |
| | | | <i>Loxia curvirostra</i> (III Ukraine) (population of Ukraine) | Red crossbill |
| | | | <i>Pyrrhula pyrrhula</i> (III Ukraine) (population of Ukraine) | Eurasian bullfinch |
| | | | <i>Serinus serinus</i> (III Ukraine) (population of Ukraine) | European serin |
| Hirundinidae | | | | Martins |
| Pseudo (I) | ochelidon sirintarae | | | White-eyed river-martin |
| Icteridae | | | | New-world blackbirds |
| Xantho | opsar flavus (I) | | | Saffron-cowled blackbird |
| Meliphagidae | | | | Honey-eaters |
| | | Lichenostomus melanops cassidix (II) | | Helmeted honeyeater |
| Muscicapidae | | | | Old-world flycatchers, babblers, etc. |
| | <i>phalus rodericanus</i> auritius) | | | Rodrigues brush-warbler |
| | , | Cyornis ruckii (II) | | Rueck's blue-flycatcher |
| | | Dasyornis broadbenti litoralis (II) | | Western rufous bristlebird |
| | | Dasyornis longirostris | | Western bristlebird |
| | | (II) | <i>Erithacus rubecula</i> (III Ukraine) (population | European robin |
| | | 40 | | |

| | 1 | | |
|----------------------------------|---|--|-----------------------------------|
| | | of Ukraine) | |
| | | <i>Ficedula parva</i> (III Ukraine) (population of Ukraine) | Red-breasted flycatcher |
| | <i>Garrulax canorus</i> (II) <i>Garrulax taewanus</i> (II) | | Chinese Hwamei Taiwan Hwamei |
| | | <i>Hippolais icterina</i> (III Ukraine) (population of Ukraine) | Icterine warbler |
| | Leiothrix argentauris (II) | , | Silver-eared mesia |
| | Leiothrix lutea (II) | | Red-billed leiothrix |
| | Liocichla omeiensis (II) | | Omei Shan liocichla |
| | | <i>Luscinia svecica</i> (III Ukraine) (population of Ukraine) | Bluethroat |
| | | <i>Luscinia luscinia</i> (III Ukraine) (population of Ukraine) | Thrush nightingale |
| | | Luscinia megarhynchos (III Ukraine) (population | Common nightingale |
| | | of Ukraine) <i>Monticola saxatilis</i> (III Ukraine) (population of Ukraine) | Rufous-tailed rock-thrush |
| Picathartes gymnocephalus (I) | | Okraine) | White-necked rockfowl |
| Picathartes oreas (I) | | | Grey-necked rockfowl |
| | | <i>Sylvia atricapilla</i> (III Ukraine) (population of Ukraine) | Eurasian blackcap |
| | | <i>Sylvia borin</i> (III Ukraine) (population of Ukraine) | Garden warbler |
| | | <i>Sylvia curruca</i> (III Ukraine) (population of Ukraine) | Lesser whitethroat |
| | | <i>Sylvia nisoria</i> (III Ukraine) (population of Ukraine) | Barred warbler |
| | | Terpsiphone bourbonnensis (III Mauritius) | Mascarene paradise- flycatcher |
| | | <i>Turdus merula</i> (III Ukraine) (population of Ukraine) | Eurasian blackbird |
| | | <i>Turdus philomelos</i> (III Ukraine) (population of Ukraine) | Song thrush |
| | | | |

| Oriolidae | | | | Old-world orioles |
|----------------|---------------------------|---------------------------------------|---|--------------------------|
| | | | Oriolus oriolus (III | Eurasian golden oriole |
| | | | Ukraine) (population of | |
| | | | Ukraine) | |
| Paradisaeidae | | | | Birds of paradise |
| | | Paradisaeidae spp. (II) | | Birds of paradise |
| Paridae | | | | Tits and chickadees |
| | | | <i>Parus ater</i> (III Ukraine) (population of Ukraine) | Coal tit |
| Pittidae | | | | Pittas |
| | | Pitta guajana (II) | | Banded pitta |
| | Pitta gurneyi (I) | | | Gurney's pitta |
| | Pitta kochi (I) | | | Whiskered pitta |
| | | Pitta nympha (II) | | Fairy pitta |
| Pycnonotidae | | · · · · · · · · · · · · · · · · · · · | | Bulbuls |
| <u> </u> | | Pycnonotus zeylanicus (II) | | Straw-headed bulbul |
| Sturnidae | | | | Mynas |
| | | Gracula religiosa (II) | | Hill myna |
| | Leucopsar rothschildi (I) | | | Bali myna |
| Troglodytidae | | | | Wrens |
| | | | <i>Troglodytes</i> <i>troglodytes</i> (III Ukraine) (population of Ukraine) | Eurasian wren |
| Zosteropidae | | | | White-eyes |
| | Zosterops albogularis (I) | | | White-chested white-ey |
| PELECANIFORMES | | | | |
| Fregatidae | | | | Frigatebirds |
| | Fregata andrewsi (I) | | | Christmas frigatebird |
| Pelecanidae | | | | Pelicans |
| | Pelecanus crispus (I) | | | Dalmatian pelican |
| Sulidae | | | | Boobies |
| | Papasula abbotti (I) | | | Abbott's booby |
| PICIFORMES | | | | Parhata |
| Capitonidae | | | Semnornis | Barbets Toucan barbet |
| | | | ramphastinus (III Colombia) | Toucan barbet |
| Picidae | | | | Woodpeckers |
| | Dryocopus javensis | | | Tristram's woodpecker |

| | richardsi (I) | | | |
|-------------------|-------------------------------|---|---|---|
| Ramphastidae | | | | Toucans |
| | | | Baillonius bailloni (III Argentina) | Saffron toucanet |
| | | Pteroglossus aracari (II) | | Black-necked aracari |
| | | | Pteroglossus castanotis (III Argentina) | Chestnut-eared aracari |
| | | Pteroglossus viridis (II) | | Green aracari |
| | | | Ramphastos dicolorus (III Argentina) | Red-breasted toucan |
| | | Ramphastos sulfuratus (II) | | Keel-billed toucan |
| | | Ramphastos toco (II) | | Toco toucan |
| | | Ramphastos tucanus (II) | | Red-billed toucan |
| | | Ramphastos vitellinus (II) | | Channel-billed toucan |
| | | | Selenidera maculirostris (III Argentina) | Spot-billed toucanet |
| PODICIPEDFORMES | | | | Grebes |
| Podicipedidae | | | | Atitlan Grebe |
| PROCELLARIIFORMES | Podilymbus gigas (I) | | | |
| Diomedeidae | | | | Albatrosses |
| Diomedeidae | | | | Short-tailed albatross |
| | Phoebastria albatrus (I) | | | Short uned diodross |
| PSITTACIFORMES | | PSITTACIFORMES spp. (II) (Except for the species | | Cockatoos, lories, macaws, parakeets, parrots etc. Parrots, etc. |
| | | included in Annex A and excluding Agapornis roseicollis, Melopsittacus undulatus, Nymphicus hollandicus and Psittacula krameri, which are not included in the Annexes to this Regulation) | | |
| Cacatuidae | | | | Cockatoos |
| | Cacatua goffiniana (I) | | | Tanimbar cockatoo |
| | Cacatua haematuropygia (I) | | | Philippine cockatoo |
| | Cacatua moluccensis (I) | | | Salmon-crested cockatoo |
| | Cacatua sulphurea (I) | | | Yellow-crested cockatoo |

| | Probosciger aterrimus (I) | Palm cockatoo |
|-------------|--|---|
| Loriidae | | Lories, lorikeets |
| | Eos histrio (I) | Red and blue lory |
| | Vini spp. (I/II) (Vini ultramarina is listed in Appendix I, the other species are listed in Appendix II) | Blue lorikeets |
| Psittacidae | | Amazons, macaws, parakeets, parrots |
| | Amazona arausiaca (I) | Red-necked parrot |
| | Amazona auropalliata (I) | Yellow-naped parrot |
| | | |
| | Amazona barbadensis (I) | Yellow-shouldered parr |
| | Amazona brasiliensis (I) | Red-tailed parrot |
| | Amazona finschi (I) | Lilac-crowned parrot |
| | Amazona guildingii (I) | St Vincent parrot |
| | Amazona imperialis (I) | Imperial parrot |
| | Amazona leucocephala (I) | Cuban parrot |
| | Amazona oratrix (I) | Yellow-headed parrot |
| | Amazona pretrei (I) | Red-spectacled parrot |
| | Amazona rhodocorytha (I) | Red-browed parrot |
| | Amazona tucumana (I) | Tucuman parrot |
| | Amazona versicolor (I) | Saint Lucia parrot |
| | Amazona vinacea (I) | Vinaceous parrot |
| | Amazona viridigenalis (I) | Green-cheeked parrot |
| | Amazona vittata (I) | Puerto Rican parrot |
| | Anodorhynchus spp. (I) | Blue macaws |
| | Ara ambiguus (I) | Great green macaw |
| | Ara glaucogularis (I) | Blue-throated macaw |
| | Ara macao (I) | Scarlet macaw |
| | Ara militaris (I) | Military macaw |
| | Ara rubrogenys (I) | Red-fronted macaw |
| | Cyanopsitta spixii (I) Cyanoramphus cookii (I) | Spix's macaw Norfolk Island parakee |
| | Cyanoramphus forbesi (I) | Chatham Island yellow fronted parakeet |
| | Cyanoramphus | Red-fronted parakeet |
| | novaezelandiae (I) | |
| | Cyanoramphus saisseti (I) | Red-crowned parakeet |
| | Cyclopsitta diophthalma coxeni (I) | Coxen's double-eyed fi parrot |
| | Eunymphicus cornutus (I) | Horned parakeet |
| | Guarouba guarouba (I) | Golden parakeet |
| | Neophema chrysogaster (I) | Orange-bellied parrot |
| | Ognorhynchus icterotis (I) | Yellow-eared parrot |
| | Pezoporus occidentalis (I) | Night parrot |
| | Pezoporus wallicus (I) | Ground parrot |

| | Pionopsitta pileata (I) | l | I | Pileated parrot |
|-----------------|--|-------------------------------------|---|------------------------|
| | Primolius couloni (I) | | | Blue-headed macaw |
| | Primolius maracana (I) | | | Blue-winged macaw |
| | Psephotus chrysopterygius | | | Golden-shouldered |
| | (I) · · · · · · · · · · · · · · · · · · · | | | parrot |
| | Psephotus dissimilis (I) | | | Hooded parrot |
| | Psephotus pulcherrimus | | | Paradise parrot |
| | (I) Psittacula echo (I) | | | Mauritius parakeet |
| | Psittacus erithacus (I) | | | African grey parrot |
| | Pyrrhura cruentata (I) | | | Blue-throated parakeet |
| | Rhynchopsitta spp. (I) | | | Thick-billed parrots |
| | Strigops habroptilus (I) | | | Kakapo |
| RHEIFORMES | | | | D1 |
| Rheidae | D | | | Rheas Lesser rhea |
| | Pterocnemia pennata (I) (Except Pterocnemia | | | Lesser mea |
| | pennata pennata which | | | |
| | is included in Annex B) | | | |
| | | Pterocnemia pennata pennata (II) | | Lesser rhea |
| | | Rhea americana (II) | | Greater rhea |
| SPHENISCIFORMES | | | | |
| Spheniscidae | | | | Penguins |
| 1 | | Spheniscus demersus | | Jackass penguin |
| | Spheniscus humboldti (I) | (ÎI) | | Humboldt penguin |
| STRIGIFORMES | | | | Owls |
| STRICTION | | | | OWIS |
| | | STRIGIFORMES | | Owls |
| | | spp. (II) (Except | | |
| | | for the species included in Annex | | |
| | | A and except for | | |
| | | Sceloglaux | | |
| | | albifacies) | | |
| Strigidae | | | | Owls |
| | Aegolius funereus (II) | | | Boreal owl |
| | Asio flammeus (II) | | | Short-eared owl |
| | Asio otus (II) | | | Long-eared owl |
| | Athene noctua (II) | | | Little owl |
| | Bubo bubo (II) (Except for Bubo bubo | | | Eurasian eagle-owl |
| | <i>bengalensis</i> which is included in Annex B) | | | |
| | Glaucidium passerinum (II) | | | Eurasian pygmy-owl |
| | Heteroglaux blewitti (I) | | | Forest owlet |
| | Mimizuku gurneyi (I) | | | Lesser eagle-owl |
| | Ninox natalis (I) | | | Christmas hawk-owl |

| | 1 | I | I |
|-----------------|---|---|---------------------|
| | Nyctea scandiaca (II) | | Snowy owl |
| | Otus ireneae (II) | | Sokoke scops-owl |
| | Otus scops (II) | | Eurasian scops-owl |
| | Strix aluco (II) | | Tawny owl |
| | Strix nebulosa (II) | | Great grey owl |
| | Strix uralensis (II) (Except for Strix uralensis davidi which is included in Annex B) | | Ural owl |
| | Surnia ulula (II) | | Northern hawk owl |
| Tytonidae | | | Barn owls |
| | Tyto alba (II) | | Barn owl |
| | Tyto soumagnei (I) | | Soumagne's owl |
| STRUTHIONIFORME | | | |
| Struthionidae | | | Ostrich |
| | Struthio camelus (I) (Only the populations of Algeria, Burkina Faso, Cameroon, the Central African Republic, Chad, Mali, Mauritania, Morocco, the Niger, Nigeria, Senegal and the Sudan; all other populations are not included in the Annexes to this Regulation) | | Ostrich |
| TINAMIFORMES | | | |
| Tinamidae | | | Tinamous |
| | Tinamus solitarius (I) | | Solitary tinamou |
| TROGONIFORMES | | | |
| Trogonidae | | | Quetzals |
| 0 | Pharomachrus mocinno (I) | | Resplendent quetzal |
| REPTILIA | | | Reptiles |

| | I | I | I | I |
|---------------|---|---|---|------------------------------------|
| CROCODYLIA | | | | Alligators, caimans, crocodiles |
| | | CROCODYLIA spp. (II) (Except for the species included in Annex A) | | Alligators, caimans, crocodiles |
| Alligatoridae | | | | Alligators, caimans |
| | Alligator sinensis (I) | | | Chinese alligator |
| | Caiman crocodilus apaporiensis (I) | | | Rio Apaporis spectacled caiman |
| | Caiman latirostris (I) (Except for the population of Argentina, which is included in Annex B) | | | Broad-nosed caiman |
| | Melanosuchus niger (I) (Except for the population of Brazil, which is included in Annex B, and population of Ecuador, which is included in Annex B and is subject to a zero annual export quota until an annual export quota has been approved by the CITES Secretariat and the IUCN/SSC Crocodile Specialist Group) | | | Black caiman |
| Crocodylidae | | | | Crocodiles |
| | <i>Crocodylus acutus</i> (I) (Except for the population of the Integrated Management District of Mangroves of the Bay of Cispata, Tinajones, La Balsa and Surrounding Areas, Department of Córdoba, Colombia, and the population of Cuba, which are included in Annex B, and the population of Mexico, which is included in Annex B and is subject to a zero | | | American crocodile |

| Crocodylus cataphractus (I) Crocodylus intermedius (I) Crocodylus mindorensis (I) Crocodylus moreletii (I) (Except for the population of Belize, which is included in Annex B with a zero quota for wild specimens traded for commercial purposes, and the population of Mexico, which is included in Annex B) Crocodylus niloticus (I) (Except for the populations of | African slender-snouted crocodile Orinoco crocodile |
|---|---|
| (I) Crocodylus intermedius (I) Crocodylus mindorensis (I) Crocodylus moreletii (I) (Except for the population of Belize, which is included in Annex B with a zero quota for wild specimens traded for commercial purposes, and the population of Mexico, which is included in Annex B) Crocodylus niloticus (I) (Except for the | crocodile |
| (I) Crocodylus intermedius (I) Crocodylus mindorensis (I) Crocodylus moreletii (I) (Except for the population of Belize, which is included in Annex B with a zero quota for wild specimens traded for commercial purposes, and the population of Mexico, which is included in Annex B) Crocodylus niloticus (I) (Except for the | crocodile |
| Crocodylus mindorensis (I) Crocodylus moreletii (I) (Except for the population of Belize, which is included in Annex B with a zero quota for wild specimens traded for commercial purposes, and the population of Mexico, which is included in Annex B) Crocodylus niloticus (I) (Except for the | Orinoco crocodile |
| (I) Crocodylus moreletii (I) (Except for the population of Belize, which is included in Annex B with a zero quota for wild specimens traded for commercial purposes, and the population of Mexico, which is included in Annex B) Crocodylus niloticus (I) (Except for the | |
| (I) (Except for the population of Belize, which is included in Annex B with a zero quota for wild specimens traded for commercial purposes, and the population of Mexico, which is included in Annex B) <i>Crocodylus niloticus</i> (I) (Except for the | Philippine crocodile |
| (Except for the | Morelet's crocodile |
| Botswana, Egypt [subject to a zero quota for wild specimens traded for commercial purposes], Ethiopia, Kenya, Madagascar, Malawi, Mozambique, Namibia, South Africa, Uganda, the United Republic of Tanzania [subject to an annual export quota of no more than 1600 wild specimens including | Nile crocodile |
| hunting trophies, in addition to ranched specimens], Zambia and Zimbabwe; these populations are included in Annex B) | |
| Crocodylus palustris (I) | |

| | <i>Crocodylus porosus</i> (I) (Except for the populations of Australia, Indonesia, | | Estuarine crocodile |
|-----------------|---|---|---|
| | Malaysia [wild harvest restricted to the State of | | |
| | Sarawak and a zero | | |
| | quota for wild specimens for the other | | |
| | States of Malaysia | | |
| | (Sabah and Peninsular Malaysia), with no | | |
| | change in the zero quota unless approved | | |
| | by the CITES Parties] | | |
| | and Papua New Guinea, which are included in | | |
| | Annex B) | | |
| | Crocodylus rhombifer (I) | | Cuban crocodile |
| | Crocodylus siamensis (I) | | Siamese crocodile |
| | Osteolaemus tetraspis (I) | | West African dwarf crocodile |
| | Tomistoma schlegelii (I) | | False gharial |
| Gavialidae | | | Gavial or gharial |
| | Gavialis gangeticus (I) | | Gharial |
| RHYNCHOCEPHALIA | | | |
| Sphenodontidae | | | Tuataras |
| | Sphenodon spp. (I) | | Tuataras |
| | | | |
| | | | |
| SAURIA | | | |
| Agamidae | | | Spiny-tailed lizards (Agamas, mastigures) |
| | | <i>Calotes ceylonensis</i> (III Sri Lanka) | Painted-lip lizard |
| | | <i>Calotes desilvai</i> (III Sri Lanka) | Desilvas' whistling lizard |
| | | <i>Calotes liocephalus</i> (III Sri Lanka) | Crestless lizard |
| | | <i>Calotes liolepis</i> (III Sri Lanka) | Whistling lizard |
| | | Calotes manamendrai (III Sri Lanka) | Manamendra-Arachchi's whistling lizard |
| | | | |

| | | <i>Calotes nigrilabris</i> (III Sri Lanka) | Black-cheek lizard |
|---------------------------|---|--|-----------------------------------|
| | | <i>Calotes pethiyagodai</i> (III Sri Lanka) | Pethiyagoda's crestless lizard |
| | Ceratophora aspera (II) | | Rough-nosed horned |
| | (Zero export quota for wild specimens for commercial purposes) | | lizard |
| Ceratophora erdeleni (I) | | | Erdelen's horned lizard |
| Ceratophora karu (I) | | | Karu's (horned) lizard |
| | <i>Ceratophora</i> <i>stoddartii</i> (II) (Zero export quota for wild specimens for commercial purposes) | | Rhino - horned lizard |
| Ceratophora tennentii (I) | | | Tennent's leaf – nosed lizard |
| Cophotis ceylanica (I) | | | Pygmy lizards |
| Cophotis dumbara (I) | | | Knuckles pygmy lizard |
| | | <i>Ctenophorus spp.</i> (III Australia) (with effect from 22 June 2022) | |
| | | <i>Intellagama spp.</i> (III Australia) (with effect from 22 June 2022) | |
| | <i>Lyriocephalus</i> <i>scutatus</i> (II) (Zero export quota for wild specimens for commercial purposes) | | Hump-nosed lizard |
| | Saara spp. (II) | | |
| | | <i>Tympanocryptis</i> <i>spp.</i> (III Australia)(with effect from 22 June 2022) | |
| | | / | |

| | I | | l | l |
|----------------|------------------------------|---|---|-----------------------|
| | | | | |
| | | Uromastyx spp. (II) | | Spiny-tailed lizards |
| Anguidae | | | | Alligator lizards |
| | | Abronia spp. (II) (except for the species included in Annex A. A zero export quota has been established for wild specimens for Abronia aurita, A. gaiophantasma, A. montecristoi, A. salvadorensis and A. vasconcelosii) | | Alligator lizards |
| | Abronia anzuetoi (I) | | | |
| | Abronia campbelli (I) | | | |
| | Abronia fimbriata (I) | | | |
| | Abronia frosti (I) | | | |
| | Abronia meledona (I) | | | |
| | | | | |
| Chamaeleonidae | | | | Chameleons |
| | | Archaius spp. (II) | | |
| | | Bradypodion spp. (II) | | Dwarf chameleons |
| | | Brookesia spp. (II) (Except for the species included in Annex A) | | Dwarf chameleons |
| | Brookesia perarmata (I) | | | Dwarf spiny chameleon |
| | | Calumma spp. (II) | | Madagascar chameleons |
| | | <i>Chamaeleo</i> spp. (II) (Except for the species included in Annex A) | | Chameleons |
| | Chamaeleo chamaeleon (II) | | | European chameleon |
| | () | Furcifer spp. (II) | | Madagascar chameleons |
| | | Kinyongia spp. (II) | | Dwarf chameleons |
| | | Nadzikambia spp. (II) | | Dwarf chameleons |
| | | Palleon spp. (II) | | |
| | | Rhampholeon spp. (II) | | Pygmy chamaeleons |

| | | Rieppeleon spp. (II) | | Pygmy chamaeleons |
|------------|-------------------------------|---|--|--|
| | | Trioceros spp. (II) | | |
| Cordylidae | | | | Spiny-tailed lizards |
| | | Cordylus spp. (II) | | Girdled lizards |
| | | Hemicordylus spp. (II) | | |
| | | Karusaurus spp. (II) | | |
| | | Namazonurus spp. (II) | | |
| | | Ninurta spp. (II) | | |
| | | Ouroborus spp. (II) | | |
| | | Pseudocordylus spp. (II) | | |
| | | Smaug spp. (II) | | |
| Gekkonidae | | | <i>Carphodactylus spp.</i> (III Australia) (with effect from 22 June | Geckos |
| | | | 2022) | |
| | Cnemaspis psychedelica (I) | | | Psychedelic rock gecko |
| | | | <i>Dactylocnemis</i> spp. (III New Zealand) | Tokay gecko |
| | | Gekko gecko (II) | | |
| | Gonatodes daudini (I) | <i>Goniurosaurus</i> spp. (II) (except the species native to Japan) | <i>Goniurosaurus kuroiwae #</i> 18 (III Japan) | Grenadines clawed geck Tiger geckos Kuroiwa's eyelid gecko |
| | | | <i>Goniurosaurus orientalis #</i> 18 (III Japan) | Spotted ground gecko |
| | | | Goniurosaurus sengokui #18 (III Japan) | Sengoku's gecko |
| | | | Goniurosaurus splendens #18 (III Japan) | |
| | | | Goniurosaurus toyamai #18 (III Japan) | Iheyajima leopard gecko |
| | | | Goniurosaurus yamashinae #18 (III Japan) | Yamashina's leopard gecko |
| | | | <i>Hoplodactylus</i> spp. (III New Zealand) | Sticky-toed geckos |

| Lygodactylus williamsi (I) | | | Turquoise dwarf gecko |
|----------------------------|--|---|---|
| | | <i>Mokopirirakau</i> spp. (III New Zealand) | |
| | Nactus serpensinsula (II) | | Serpent Island gecko |
| | Naultinus spp. (II) | <i>Nephrurus</i> spp. (III Australia) (with effect from 22 June 2022) | New Zealand tree geckos |
| | | <i>Orraya</i> spp. (III Australia) (with effect from 22 June 2022) | |
| | Paroedura androyensis (II) | | Grandidier's Madagascar ground gecko |
| | Paroedura masobe (II) | | Masobe gecko |
| | Phelsuma spp. (II) (Except for the species included in Annex A) | <i>Phyllurus</i> spp. (III Australia) | Day geckos |
| | | (with effect from 22 June 2022) | |
| Phelsuma guentheri (II) | | | Round Island day gecko |
| | Rhoptropella spp. (II) | <i>Saltuarius</i> (III Australia) (with effect from 22 June 2022) | |
| | | Sphaerodactylus armasi (III Cuba) | Guantanamo least gecko |
| | | Sphaerodactylus celicara (III Cuba) | Baracoan eyespot sphaero |
| | | Sphaerodactylus dimorphicus (III Cuba) | |
| | | Sphaerodactylus intermedius (III Cuba) | Mantanzas least gecko |
| | | Sphaerodactylus nigropunctatus alayoi (III Cuba) | |
| | | Sphaerodactylus nigropunctatus granti (III Cuba) | |
| | | Sphaerodactylus nigropunctatus lissodesmus (III Cuba) | |

| | | | Sphaerodactylus nigropunctatus ocujal (III Cuba) Sphaerodactylus nigropunctatus | |
|----------------|--|---|---|-----------------------------------|
| | | | strategus (III Cuba) Sphaerodactylus notatus atactus (III Cuba) | |
| | | | Sphaerodactylus oliveri (III Cuba) | Juventud least gecko |
| | | | Sphaerodactylus pimienta (III Cuba) | Pepper sphaero |
| | | | <i>Sphaerodactylus ruibali</i> (III Cuba) | Ruibal's least gecko |
| | | | Sphaerodactylus siboney (III Cuba) | |
| | | | <i>Sphaerodactylus torrei</i> (III Cuba) | Barbour's least gecko |
| | | | <i>Strophurus spp</i> . (III Australia) | |
| | | | (with effect from 22 June 2022) | |
| | | | <i>Toropuku</i> spp. (III New Zealand) | |
| | | Uroplatus spp. (II) | <i>Tukutuku</i> spp. (III New Zealand) | |
| | | | <i>Underwoodisaurus</i> spp. (III Australia) | |
| | | | (with effect from 22 June 2022) | |
| | | | Uvidicolus spp. (III Australia) | |
| | | | (with effect from 22 June 2022) | |
| | | | <i>Woodworthia</i> spp. (III New Zealand) | Flat-tailed geckos |
| Helodermatidae | | | | Gila monster and beaded lizard |
| | | Heloderma spp. (II) (Except for the subspecies included | | Gila monster and beaded lizard |
| | Heloderma horridum charlesbogerti (I) | in Annex A) | | Guatemalan beaded lizard |

| Iguanidae | | | | Iguanas |
|---------------|---------------------------|---|--------------------------------------|-------------------------------|
| | | Amblyrhynchus cristatus (II) | | Galapagos marine iguana |
| | Brachylophus spp. (I) | | | Fiji iguanas |
| | | Conolophus spp. (II) | | Galapagos land iguanas |
| | | Ctenosaura spp. (II) | | Spiny-tailed iguanas |
| | Cyclura spp. (I) | | | Ground iguanas |
| | | Iguana spp. (II) | | Iguanas |
| | | Phrynosoma blainvillii (II) | | Blaineville's horned lizard |
| | | Phrynosoma cerroense (II) | | Cedros Island horned lizard |
| | | Phrynosoma coronatum (II) | | Coast horned lizard |
| | | Phrynosoma wigginsi (II) | | Gulf coast horned lizard |
| | Sauromalus varius (I) | | | San Esteban Island chuckwalla |
| Lacertidae | | | | Lizards |
| | Gallotia simonyi (I) | | | Hierro giant lizard |
| | Podarcis lilfordi (II) | | | Lilford's wall lizard |
| | Podarcis pityusensis (II) | | | Ibiza wall lizard |
| Lanthanotidae | | | | Earless Monitor Lizard |
| | | Lanthanotidae spp. (II) (A zero export quota has been established for wild specimens for commercial trade) | | |
| Polychrotidae | | | | Anoles |
| | | | <i>Anolis agueroi</i> (III Cuba) | |
| | | | <i>Anolis baracoae</i> (III Cuba) | |
| | | | <i>Anolis barbatus</i> (III Cuba) | |

| | 1 | 1 | 1 | 1 |
|-----------|---|----------------------|--|-------------------------|
| | | | Anolis chamaeleonides (III Cuba) | |
| | | | <i>Anolis equestris</i> (III Cuba) | |
| | | | Anolis guamuhaya (III Cuba) | |
| | | | Anolis luteogularis (III Cuba) | |
| | | | Anolis pigmaequestris (III Cuba) | |
| | | | Anolis porcus (III Cuba) | |
| Scincidae | | | | Skinks |
| | | Corucia zebrata (II) | | Prehensile-tailed skink |
| | | | <i>Egernia</i> spp. (III | |
| | | | Australia) (with effect from 22 June 2022) | |
| | | | Tiliqua adelaidensis | |
| | | | (III Australia) (with effect from 22 June 2022) | |
| | | | <i>Tiliqua multifasciata</i> (III Australia) (with effect from 22 | |
| | | | June 2022) | |
| | | | <i>Tiliqua nigrolutea</i> (III Australia) (with effect from 22 June 2022) | |
| | | | Tiliqua occipitalis | |
| | | | (III Australia) (with effect from 22 June 2022) | |
| | | | <i>Tiliqua rugosa</i> (III Australia) | |
| | | | (with effect from 22 June 2022) | |
| | | | Tiliqua scincoides intermedia (III | |
| | | | Australia) (with effect from 22 June 2022) | |
| | | | Tiliqua scincoides | |

| | | | <i>scincoides</i> (III Australia) (with effect from 22 June 2022) | |
|--------------|-------------------------------------|---|--|---------------------------------|
| Teiidae | | | | Caiman lizards, tegu lizards |
| | | Crocodilurus amazonicus (II) | | Dragon lizard |
| | | Dracaena spp. (II) | | Caiman lizards |
| | | Salvator spp. (II) | | |
| | | Tupinambis spp.(II) | | Tegus |
| Varanidae | | | | Monitor lizards |
| | | Varanus spp. (II) (Except for the species included in Annex A) | | Monitor lizards |
| | Varanus bengalensis (I) | | | Indian monitor |
| | Varanus flavescens (I) | | | Yellow monitor |
| | Varanus griseus (I) | | | Desert monitor |
| | Varanus komodoensis (I) | | | Komodo dragon |
| | Varanus nebulosus (I) | | | Clouded monitor |
| | Varanus olivaceus (II) | | | Gray's monitor |
| Xenosauridae | Shinisaurus crocodilurus | | | Chinese crocodile lizard |
| | (I) | | | Chinese crocodile lizard |
| SERPENTES | | | | Snakes |
| Boidae | | | | Boas |
| | | Boidae spp. (II) (Except for the species included in Annex A) | | Boas |
| | Acrantophis spp. (I) | | | Madagascar ground boas |
| | Boa constrictor occidentalis (I) | | | Argentine boa constrictor |
| | Epicrates inornatus (I) | | | Puerto Rican boa |
| | Epicrates monensis (I) | | | Virgin Island tree boa |
| | Epicrates subflavus (I) | | | Jamaican boa |
| | Eryx jaculus (II) | | | Spotted sand boa |
| | Sanzinia madagascariensis (I) | | | Madagascar tree boa |

| Bolyeriidae | | Bolyeriidae spp. (II) (Except for the species included in | | Round Island boas Round Island boas |
|-------------|--|---|---|---|
| | Bolyeria multocarinata (I) Casarea dussumieri (I) | Annex A) | | Round Island boa Round Island keel-scaled boa |
| Colubridae | | | | Typical snakes, water snakes, whip snakes |
| | | | Atretium schistosum (III India) | Olive keel-back |
| | | | Cerberus rynchops (III India) | Dog-faced water snake |
| | | Clelia clelia (II) | | Mussurana |
| | | Cyclagras gigas (II) | | False cobra |
| | | Elachistodon westermanni (II) | | Indian egg-eating snake |
| | | Ptyas mucosus (II) | | Common rat snake |
| | | | Xenochrophis piscator (III India) | Checkered keel-back |
| | | | Xenochrophis schnurrenbergeri (III India) | |
| | | | Xenochrophis tytleri (III India) | |
| Elapidae | | | | Cobras, coral snakes |
| | | Hoplocephalus bungaroides (II) | | Broad-headed snake |
| | | | <i>Micrurus diastema</i> (III Honduras) | Atlantic coral snake |
| | | | <i>Micrurus nigrocinctus</i> (III Honduras) | Central American coral snake |
| | | | <i>Micrurus ruatanus</i> (III Honduras) | |
| | | Naja atra (II) | , | Chinese spitting cobra |
| | | Naja kaouthia (II) | | Monocellate cobra |
| | | Naja mandalayensis (II) | | Burmese spitting cobra |

| Gibraltar Gazette | No. 4965. | Thursday | v 9th June 2022 |
|-------------------|------------|----------|----------------------------|
| Olorantal Galette | , 100.1702 | Indibud | <i>y y</i> this while 2022 |

| | l | l | l l | I |
|----------------|-------------------------------|---|---|--------------------------------------|
| | | Naja naja (II) | | Indian cobra |
| | | Naja oxiana (II) | | Central Asian cobra |
| | | Naja philippinensis (II) | | North Philippine spitting cobra |
| | | Naja sagittifera (II) | | Andaman cobra |
| | | Naja samarensis (II) | | South-east Philippine spitting cobra |
| | | Naja siamensis (II) | | Indochinese spitting cobra |
| | | Naja sputatrix (II) | | South Indonesian spitting cobra |
| | | Naja sumatrana (II) | | Golden spitting cobra |
| | | Ophiophagus hannah (II) | | King cobra |
| Loxocemidae | | | | Mexican dwarf boa |
| | | Loxocemidae spp. (II) | | |
| | | | | Mexican dwarf boa |
| Pythonidae | | | | Pythons |
| | | Pythonidae spp. (II) (Except for the | | Pythons |
| | | subspecies included in Annex A) | | |
| | Python molurus molurus (I) | | | Indian python |
| Tropidophiidae | | | | Wood boas |
| | | Tropidophiidae spp. (II) | | Wood boas |
| Viperidae | | | | Vipers |
| | | Atheris desaixi (II) | | Mt. Kenya bush viper |
| | | Bitis worthingtoni (II) | | Kenya horned viper |
| | | | Crotalus durissus (III Honduras) (Except for the subspecies which is listed in Annex B) | Neotropical rattlesnake |
| | | Crotalus durissus unicolor | | Aruba rattlesnake |
| | | | <i>Daboia russelii</i> (III India) | Russell's viper |
| | | Pseudocerastes urarachnoides (II) | | Spider-tailed horned viper |

| | | Trimeresurus mangshanensis (II) | | Mangshan pit-viper |
|------------------|---|---|--|-------------------------------------|
| | Vipera latifii | | | Latifi's viper |
| | Vipera ursinii (I) (Only the population of Europe, except the area which formerly constituted the USSR; these latter populations are not included in the Annexes to this Regulation) | | | Orsini's viper |
| | | Vipera wagneri (II) | | Wagner's viper |
| TESTUDINES | | | | |
| Carettochelyidae | | | | Pig-nosed turtles |
| | | Carettochelys insculpta (II) | | Pig-nosed turtle |
| Chelidae | | | | Austro-American sideneck turtles |
| | | Chelodina mccordi (II) (A zero annual export quota has been established for specimens removed from the wild) | | Roti snake-necked turtle |
| | Pseudemydura umbrina (I) | | | Western swamp turtle |
| Cheloniidae | | | | Sea turtles |
| | Cheloniidae spp. (I) | | | Sea turtles |
| Chelydridae | | | | Snapping turtles |
| | | | Chelydra serpentina (III United States of America) Macrochelys temminckii (III United States of America) | Alligator snapping turtle |
| Dermatemydidae | | | | Central American river turtle |
| | | Dermatemys mawii (II) | | Central American river turtle |

| Dermochelyidae | | | | Leatherback turtle |
|----------------|-------------------------------|--|---|------------------------------------|
| 2 | Dermochelys coriacea (I) | | | Leatherback turtle |
| Emydidae | | | | Box turtles, freshwater turtles |
| | | <i>Chrysemys picta</i> (Only live specimens) | | Painted turtle |
| | | Clemmys guttata (II) | | Spotted turtle |
| | | Emydoidea blandingii (II) | | Blanding's turtle |
| | | | <i>Emys orbicularis</i> (III Ukraine) (population of Ukraine) | European pond turtle |
| | | Glyptemys insculpta (II) | | Wood turtle |
| | Glyptemys muhlenbergii (I) | | | Bog turtle |
| | | | <i>Graptemys</i> spp. (III United States of America) | Map turtles |
| | | Malaclemys terrapin (II) | | Diamondback terrapin |
| | | <i>Terrapene</i> spp. (II) (Except for the species included in Annex A) | | Box turtles |
| | Terrapene coahuila (I) | | | Aquatic box turtle |
| Geoemydidae | | | | |
| | Batagur affinis (I) | | | Southern river terrapin |
| | Batagur baska (I) | | | Batagur |
| | | <i>Batagur</i> <i>borneoensis</i> (II) (A zero annual export quota has been established for specimens removed from the wild and traded for commercial purposes) | | |
| | | Batagur dhongoka (II) | | |
| | | Batagur kachuga (II) | | |

| | <i>Batagur trivittata</i> (II) (A zero annual export quota has been established for specimens removed from the wild and traded for commercial purposes) | |
|--------------------------|---|--------------------------------------|
| | <i>Cuora</i> spp. (II) (Except the species included in Annex A, a zero annual export quota has been established for <i>Cuora aurocapitata</i> , <i>C. flavomarginata</i> , <i>C.</i> <i>galbinifrons</i> , <i>C. mccordi</i> , <i>C.</i> <i>mouhotii</i> , <i>C. pani</i> , <i>C. trifasciata</i> , <i>C.</i> <i>yunnanensis</i> and <i>C.</i> <i>zhoui</i> for specimens removed from the wild and traded for commercial purposes) | Asian box turtles |
| Cuora bourreti (I) | | Bourret's box turtle |
| Cuora picturata (I) | | Indochinese box turtle |
| | Cyclemys spp. (II) | Asian leaf turtles |
| Geoclemys hamiltonii (I) | | Black pond turtle |
| | Geoemyda japonica (II) | Ryukyu black-breasted leaf turtle |
| | Geoemyda spengleri (II) | Black-breasted leaf turtle |
| | Hardella thurjii (II) | Crowned river turtle |
| | <i>Heosemys</i> <i>annandalii</i> (II) (A zero annual export quota has been established for specimens removed from the wild and traded for commercial | Yellow-headed temple turtle |

| 1 | | | |
|---------------------------------|---|--|---------------------------------|
| | Heosemys depressa (II) (A zero annual export quota has been established for specimens removed from the | | Arakan forest turtle |
| | wild and traded for commercial purposes) | | |
| | Heosemys grandis (II) | | Giant Asian turtle |
| | Heosemys spinosa (II) | | Spiny turtle |
| | Leucocephalon yuwonoi (II) | | Sulawesi forest turtle |
| | Malayemys macrocephala (II) | | Snail-eating turtle |
| | Malayemys subtrijuga (II) | | Ricefield turtle |
| | | | Annam pond turtle |
| Mauremys annamensis (I) | | <i>Mauremys iversoni</i> (III China) | Fujian pond turtle |
| | | | |
| | Mauremys japonica (II) | | Japanese pond turtle |
| | | <i>Mauremys megalocephala</i> (III China) | Big-headed pond turtle |
| | Mauremys mutica (II) | | Yellow pond turtle |
| | Mauremys nigricans (II) | | Red-necked pond turtle |
| | | <i>Mauremys pritchardi</i> (III China) | Pritchard's pond turtle |
| | | <i>Mauremys reevesii</i> (III China) | Reeves's turtle |
| | | <i>Mauremys sinensis</i> (III China) | Chinese stripe-necked turtle |
| Melanochelys tricarinata (I) | | | Three-keeled land tortoise |
| | Melanochelys trijuga (II) | | Indian black turtle |
| Morenia ocellata (I) | | | Burmese swamp turtle |
| | Morenia petersi (II) | | Indian eyed turtle |

| | l | 1 | | I |
|----------------|-------------------------|--|--|--|
| | | Notochelys platynota (II) | | Malayan flat-shelled turtle |
| | | | <i>Ocadia glyphistoma</i> (III China) | Notch-mouthed stripe- necked turtle |
| | | | <i>Ocadia philippeni</i> (III China) | Philippen's stripe-necked turtle |
| | | Orlitia borneensis (II) (A zero annual export quota has been established for specimens removed from the wild and traded for commercial purposes) | | Malayan giant turtle |
| | | Pangshura spp. (II) (Except for the species included in Annex A) | | Roofed turtles |
| | Pangshura tecta (I) | | | Indian roofed turtle |
| | | Sacalia bealei (II) | | Beal's eyed turtle |
| | | | Sacalia pseudocellata (III China) | Chinese false-eyed turtle |
| | | Sacalia quadriocellata (II) | | Four-eyed turtle |
| | | Siebenrockiella crassicollis (II) | | Black marsh turtle |
| | | Siebenrockiella leytensis (II) | | Philippine pond turtle |
| | | Vijayachelys silvatica (II) | | Cochin forest cane turtle |
| Platysternidae | | | | Big-headed turtles |
| | Platysternidae spp. (I) | | | Big-headed turtles |
| Podocnemididae | | | | Afro-American sideneck turtles |
| | | Erymnochelys madagascariensis (II) | | Madagascar sideneck turtle |
| | | Peltocephalus dumerilianus (II) | | Big-headed sideneck turtle |
| | | Podocnemis spp. (II) | | Sideneck turtles |
| Testudinidae | | | | Tortoises |

| | | Testudinidae spp. (II) (Except for the species included in Annex A; a zero annual export quota has been established for <i>Centrochelys sulcata</i> for specimens removed from the wild and traded for primarily commercial purposes) | | Tortoises |
|--------------|---------------------------------|--|--|-------------------------------------|
| | Astrochelys radiata (I) | | | Radiated tortoise |
| | Astrochelys yniphora (I) | | | Angonoka |
| | Chelonoidis niger (I) | | | Galapagos giant tortoise |
| | Geochelone elegans (I) | | | Star tortoise |
| | Geochelone platynota (I) | | | Burmese star tortoise |
| | Gopherus flavomarginatus (I) | | | Bolson tortoise |
| | Malacochersus tornieri (I) | | | Pancake tortoise |
| | Psammobates geometricus (I) | | | Geometric tortoise |
| | Pyxis arachnoides (I) | | | Madagascar spider tortoise |
| | Pyxis planicauda (I) | | | Madagascar flat-shelled tortoise |
| | Testudo graeca (II) | | | Spur-thighed tortoise |
| | Testudo hermanni (II) | | | Hermann's tortoise |
| | Testudo kleinmanni (I) | | | Egyptian tortoise |
| | Testudo marginata (II) | | | Marginated tortoise |
| Trionychidae | | | | Softshell turtles, terrapins |
| | | Amyda cartilaginea (II) | | Southeast Asian soft- |
| | | | <i>Apalone ferox</i> (III United States of America) | shelled turtle |
| | | | <i>Apalone mutica</i> (III United States of America) | |

| | | Apalone spinifera (III United States of America) (except for the subspecies included in Annex A) | |
|----------------------------|--|---|---------------------------------------|
| Apalone spinifera atra (I) | | | Cuatro Cienagas soft- shell turtle |
| | <i>Chitra</i> spp. (II) (Except for the species included in Annex A) | | Narrow-headed softshell turtles |
| Chitra chitra (I) | | | Asian narrow-headed softshell |
| Chitra vandijki (I) | | | Burmese narrow-headed softshell |
| | Cyclanorbis elegans (II) | | Nubian flapshelll turtle |
| | Cyclanorbis senegalensis (II) | | Senegal flapshell turtle |
| | Cycloderma aubryi (II) | | Aubrys flapshelll turtle |
| | Cycloderma frenatum (II) | | Zambezi flapshell turtle |
| | Dogania subplana (II) | | Malayan soft-shelled turtle |
| | Lissemys ceylonensis (II) | | Sri Lankan flapshell turtle |
| | Lissemys punctata (II) | | Indo-Gangetic flapshell turtle |
| | Lissemys scutata (II) | | Burmese flapshell turtle |
| | Nilssonia formosa (II) | | Burmese peacock softshell |
| Nilssonia gangetica (I) | | | Indian soft-shell turtle |
| Nilssonia hurum (I) | | | Peacock soft-shell turtle |
| | Nilssonia leithii (II) | | Leith's softshell turtle |
| Nilssonia nigricans (I) | | | Black soft-shell turtle |
| | Palea steindachneri (II) | | Wattle-necked softshell turtle |
| | Pelochelys spp. (II) | | Giant softshell turtles |
| | Pelodiscus axenaria (II) | | Hunan softshell turtle |
| | Pelodiscus maackii (II) | | Amur softshell turtle |
| | Pelodiscus parviformis (II) | | Chinese softshell turtle |
| | Rafetus euphraticus (II) | | Euphrates softshell turtle |

| | | Rafetus swinhoei (II) | | Yangtze softshell turtle |
|----------------------|------------------------------------|---------------------------------|---------------------------------------|-------------------------------|
| | | Trionyx triunguis (II) | | Nile softshell turtle |
| AMPHIBIA | | | | Amphibians |
| ANURA | | | | Frogs and toads |
| Aromobatidae | | | | Cryptic forest frogs |
| | | Allobates femoralis (II) | | Brilliant-thighed poison frog |
| | | Allobates hodli (II) | | |
| | | Allobates myersi (II) | | Myers' poison frog |
| | | Allobates zaparo (II) | | Sanguine poison frog |
| | | Anomaloglossus rufulus (II) | | Chimanta poison frog |
| Bufonidae | | | | Toads |
| | Altiphrynoides spp. (I) | | | Malcolm's Ethiopian toad |
| | Amietophrynus channingi (I) | | | |
| | Amietophrynus superciliaris (I) | | | Cameroon toad |
| | Atelopus zeteki (I) | | | Golden frog |
| | Incilius periglenes (I) | | | Golden toad |
| | Nectophrynoides spp. (I) | | | African viviparous toads |
| | Nimbaphrynoides spp. (I) | | | Nimba toads |
| Calyptocephalellidae | | | Calyptocephalella gayi (III Chile) | Chilean helmeted water toad |
| Conrauidae | | | | Frogs |
| | | Conraua goliath | | Goliath frog |
| Dendrobatidae | | | | Poison frogs |
| | | Adelphobates spp. (II) | | |
| | | Ameerega spp. (II) | | |
| | | Andinobates spp. (II) | | |
| | | Dendrobates spp. (II) | | Poison-arrow frogs |
| | | Epipedobates spp. (II) | | Poison-arrow frogs |
| | | Excidobates spp. (II) | | |
| | | Hyloxalus azureiventris (II) | | Sky-blue poison frog |
| | | Minyobates spp. (II) | | Demonic poison frogs |

| | Oophaga spp. (II) | |
|----------------|---|---|
| | Phyllobates spp. (II) | Poison-arrow frogs |
| | Ranitomeya spp. (II) | |
| Dicroglossidae | | Frogs |
| | Euphlyctis hexadactylus (II) | Six-fingered frog |
| | Hoplobatrachus tigerinus (II) | Tiger frog |
| Hylidae | | Tree frogs |
| | Agalychnis annae (II) Agalychnis callidryas (II) | Blue-sided leaf frog Red-eyed tree frog Morelet's leaf frog |
| | Agalychnis moreletii (II) | Misfit leaf frog |
| | Agalychnis saltator (II) Agalychnis spurrelli (II) | Gliding leaf frog |
| Mantellidae | | Mantella frogs |
| | Mantella spp. (II) | Mantella frogs |
| Microhylidae | | Tomato frogs |
| | Dyscophus antongilii (II) | Tomato frog |
| | Dyscophus guineti (II) | False tomato frog |
| | Dyscophus insularis (II) | Antsouhy tomato frog |
| | Scaphiophryne boribory (II) | Green marbled burrowing frog |
| | Scaphiophryne gottlebei (II) | Red rain frog |
| | Scaphiophryne marmorata (II) | Green marbled burrowing frog |
| | Scaphiophryne spinosa (II) | Green marbled burrowing frog |
| Myobatrachidae | | Gastric brooding frogs |
| | <i>Rheobatrachus</i> spp. (II) (Except for <i>Rheobatrachus silus</i> and <i>Rheobatrachus</i> <i>vitellinus</i> which are not included in the | Gastric brooding frog |

| Gibraltar Gazette, No. 4965, Thursday 9th June 2022 |
|---|
|---|

| | | Annexes) | 1 | |
|--------------------|------------------------|------------------------------------|--|------------------------------|
| | | Amexes) | | |
| | | | | |
| Telmatobiidae | | | | Water frogs |
| | Telmatobius culeus (I) | | | Titicaca water frog |
| CAUDATA | | | | |
| Ambystomatidae | | | | Axolotls |
| | | Ambystoma dumerilii (II) | | Lake Patzcuaro salamander |
| | | Ambystoma mexicanum (II) | | Axolotl |
| Cryptobranchidae | | | | Giant salamanders |
| | Andrias spp. (I) | | | Giant salamanders |
| | | | <i>Cryptobranchus</i> <i>alleganiensis</i> (III United States of America) | Hellbender |
| Hynobiidae | | | | Asiatic salamanders |
| | | | <i>Hynobius amjiensis</i> (III China) | |
| Salamandridae | | | | Salamanders and newts |
| | | | Echinotriton andersoni #18 (III Japan) | Anderson's Newt |
| | | Echinotriton chinhaiensis (II) | | Chinhai spiny newt |
| | | Echinotriton maxiquadratus (II) | | Mountain spiny newt |
| | Neurergus kaiseri (I) | | | Kaiser's spotted newt |
| | | Paramesotriton spp. (II) | | Asian warty newts |
| | | | <i>Salamandra algira</i> (III Algeria) | |
| | | Tylototriton spp. (II) | - / | Crocodile newts |
| ELASMOBRANCH II | | | | Sharks and rays |
| CARCHARHINIFORMES | | | | |
| Carcharhinidae | | | | Requiem sharks |
| | | Carcharhinus | | Silky shark |

| I | falciformis (II) | I |
|----------------------|---------------------------------|---|
| | June joinnis (II) | |
| | Carcharhinus longimanus (II) | Oceanic whitetip shark |
| Sphyrnidae | | Hammerhead sharks |
| | Sphyrna lewini (II) | Scalloped hammerhead shark |
| | Sphyrna mokarran (II) | Great hammerhead shar |
| | Sphyrna zygaena (II) | Smooth hammerhead shark |
| LAMNIFORMES | | |
| Alopiidae | | Thresher sharks |
| | Alopias spp. (II) | Thresher sharks |
| Cetorhinidae | | Basking sharks |
| | Cetorhinus maximus (II) | Basking shark |
| Lamnidae | | Mackerel sharks |
| | Carcharodon carcharias (II) | Great white shark |
| | Isurus oxyrinchus (II) | Shortfin mako |
| | Isurus paucus (II) | Longfin mako |
| | Lamna nasus (II) | Porbeagle |
| MYLIOBATIFORME S | | |
| Myliobatidae | | |
| | Manta spp. (II) | Manta rays |
| | Mobula spp. (II) | Devil rays |
| Potamotrygonida e | | Freshwater stingrays |
| C | | <i>ratrygon aiereba</i> (III Discus ray ombia) |
| | (III (pc | <i>tamotrygon</i> spp. Brazil) opulation of azil) |
| | con | tamotrygon Thorny river stingray Istellata (III Iombia) |
| | mag | tamotrygon Magdalena river stingray gdalenae (III lombia) |
| | | <i>tamotrygon motoro</i> Ocellate river stingray Colombia) |
| | 70 | |

| | | | Determentering | Smooth hoals river |
|-----------------------|----------------------------|---|--|-------------------------------|
| | | | Potamotrygon orbignyi (III Colombia) | Smooth back river stingray |
| | | | Potamotrygon schroederi (III Colombia) | Rosette river stingray |
| | | | Potamotrygon scobina (III Colombia) | Raspy river stingray |
| | | | Potamotrygon yepezi (III Colombia) | Maracaibo river stingray |
| ORECTOLOBIFORMES | | | | |
| Rhincodontidae | | | | Whale sharks |
| | | Rhincodon typus (II) | | Whale shark |
| RHINOPRISTIFORME S | | | | |
| Pristidae | | | | Sawfishes |
| | Pristidae spp. (I) | | | Sawfishes |
| Glaucostegidae | | | | Giant guitarfishes |
| | | Glaucostegus spp. (II) | | Giant guitarfish |
| Rhinidae | | | | Wedgefishes |
| | | Rhinidae spp. (II) | | Wedgefishes |
| ACTINOPTERI | | | | Fish |
| ACIPENSERIFORMES | | ACIPENSERIFORME S spp. (II) (Except for the species included in Annex A) | | Sturgeons and paddlefish |
| Acipenseridae | | | | Sturgeons |
| | Acipenser brevirostrum (I) | | | Shortnose sturgeon |
| | Acipenser sturio (I) | | | Common sturgeon |
| ANGUILLIFORMES | | | | |
| Anguillidae | | | | Freshwater eels |
| | | Anguilla anguilla (II) | | European eel |
| CYPRINIFORMES | | | | |
| Catostomidae | | | | Cui-ui |
| | Chasmistes cujus (I) | | | Cui-ui |
| Cyprinidae | | | | Blind carps, plaeesok |
| | | Caecobarbus geertsii | | African blind barb fish |
| | Probarbus jullieni (I) | (II) | | Ikan temoleh |

| OSTEOGLOSSIFORMES | | | | Arapaimas, bonytongues |
|-----------------------|----------------------------|----------------------------------|---------------------------------------|---------------------------|
| Arapaimidae | | Arapaima gigas (II) | | |
| | | | | Arapaima |
| Osteoglossidae | | | | Bonytongues |
| | Scleropages formosus (I) | | | Asian arowana |
| | Scleropages inscriptus (I) | | | |
| PERCIFORMES | | | | |
| Labridae | | | | Wrasses |
| | | Cheilinus undulatus (II) | | Humphead wrasse |
| Pomacanthidae | | | | |
| | | Holacanthus clarionensis (II) | | Clarion angelfish |
| | | | Holacanthus limbaughi (III France) | |
| Sciaenidae | | | | Totoabas |
| | Totoaba macdonaldi (I) | | | Totoaba |
| SILURIFORMES | | | | |
| Pangasiidae | | | | Pangasid catfish |
| | Pangasianodon gigas (I) | | | Giant catfish |
| Loricariidae | | | | Armoured catfishes |
| | | | Hypancistrus zebra (III Brazil) | |
| SYNGNATHIFORMES | | | | |
| Syngnathidae | | | | Pipefishes, seahorses |
| | | Hippocampus spp. (II) | | Seahorses |
| DIPNEUSTI | | | | Lungfishes |
| CERATODONTIFORMES | | | | |
| Neoceratodontida e | | | | Australian lungfishes |
| | | Neoceratodus forsteri (II) | | Australian lungfish |
| COELACANTHI | | | | Coelacanths |
| COELACANTHIFORMES | | | | |
|-------------------|---------------------|-------------------------------|---|------------------------------|
| Latimeriidae | | | | Coelacanths |
| | Latimeria spp. (I) | | | Coelacanths |
| ECHIN | ODERMATA (STARFISH, | BRITTLE STARS, SEA | URCHINS AND SEA CU | CUMBERS) |
| HOLOTHUROIDEA | | | | Sea cucumbers |
| ASPIDOCHIROTIDA | | | | |
| Stichopodidae | | | | Sea cucumbers |
| | | | <i>Isostichopus fuscus</i> (III Ecuador) | Brown sea cucumber |
| HOLOTHURIIDA | | | | |
| Holothuriidae | | | | Teatfishes, sea cucumbers |
| | | Holothuria fuscogilva (II) | | Teatfish |
| | | Holothuria nobilis (II) (| | |
| | | Holothuria whitmaei (II) | | |

ARTHROPODA (ARTHROPODS)

| ARACHNIDA | | Spiders and scorpions |
|---------------|--------------------------------|--|
| ARANEAE | | |
| Theraphosidae | Aphonopelma albiceps (II) | Red-kneed tarantulas, tarantulas |
| | Aphonopelma pallidum (II) | Chihuahua rose-grey tarantula |
| | Brachypelma spp. (II) | Central American tarantulas |
| | Poecilotheria spp. (II) | Ornamental spiders |
| SCORPIONES | | |
| Scorpionidae | | Scorpions |
| | Pandinus camerounensis (II) | |
| | Pandinus dictator (II) | |
| | Pandinus gambiensis | Giant Senegalese |

| | | (II) | | scorpion |
|--------------|----------------------------------|---|---|--|
| | | Pandinus imperator (II) | | Emperor scorpion |
| | | Pandinus roeseli (II) | | |
| INSECTA | | | | Insects |
| COLEOPTERA | | | | Beetles |
| Lucanidae | | | | Stag beetles |
| | | | Colophon spp. (III South Africa) | Cape stag beetles |
| Scarabaeidae | | | | Scarab beetles |
| | | Dynastes satanas (II) | | Satanas beetle |
| LEPIDOPTERA | | | | Butterflies |
| Nymphalidae | | | | |
| | | | Agrias amydon boliviensis (III Bolivia) | |
| | | | Morpho godartii lachaumei (III Bolivia) | |
| | | | Prepona praeneste buckleyana (III Bolivia) | |
| Papilionidae | | | | Birdwing and swallowtail butterflies |
| | Achillides chikae chikae (I) | | | Luzon peacock swallowtail |
| | Achillides chikae hermeli (I) | | | Mindoro peacock swallowtail |
| | | Atrophaneura jophon (II) | | Sri Lankan rose |
| | | Atrophaneura palu | | Palu swallowtail butterfly |
| | | Atrophaneura pandiyana (II) | | Malabar rose |
| | | Bhutanitis spp. (II) | | Swallowtail butterflies |
| | | Graphium sandawanum | | Apo swallowtail butterfly |
| | | Graphium stresemanni | | Seram swallowtail |
| | | Ornithoptera spp. (II) (except for the species included in Annex A) | | Birdwing butterflies |
| | Ornithoptera | | | Queen Alexandra's |

| alexandrae (I) | | birdwing |
|------------------------|------------------------|---|
| | | |
| | Papilio benguetanus | |
| | Papilio esperanza | |
| Papilio homerus (I) | | Homerus swallowtail |
| Papilio hospiton (II) | | Corsican swallowtail |
| | Papilio morondavana | Madagascan emperor swallowtail |
| | Papilio neumoegeni | |
| | Parides ascanius | Fluminense swallowtail butterfly |
| | Parides hahneli | Hahnel's amazonian swallowtail butterfly |
| Parides burchellanus (| I) | Riverside swallowtail |
| Parnassius apollo (II |) | Mountain apollo |
| | Teinopalpus spp. (II) | Kaiser-I-Hind butterflies |
| | Trogonoptera spp. (II) | Birdwing butterflies |
| | Troides spp. (II) | Birdwing butterflies |

ANNELIDA (SEGMENTED WORMS AND LEECHES)

| HIRUDINOIDEA | | Leeches |
|------------------|-------------------------|-----------------------------|
| ARHYNCHOBDELLIDA | | |
| Hirudinidae | | Leeches |
| | Hirudo medicinalis (II) | Northern medicinal leech |
| | Hirudo verbana (II) | Southern medicinal leech |

MOLLUSCA (MOLLUSCS)

| BIVALVIA | | Bivalve molluscs (clams, mussels etc.) |
|-----------|-------------------------------|---|
| MYTILOIDA | | |
| Mytilidae | | Marine mussels |
| | Lithophaga lithophaga (II) | European date mussel |
| UNIONOIDA | | |

| | | | I |
|-----------|---|--------------------------------------|--|
| Unionidae | | | Freshwater mussels, pearly mussels |
| | Conradilla caelata (I) | | Birdwing pearly mussel |
| | | Cyprogenia aberti (II) | Western fanshell mussel |
| | Dromus dromas (I) | | Dromedary pearly mussel |
| | Epioblasma curtisii (I) | | Curtis' pearly mussel |
| | Epioblasma florentina (I) | | Yellow-blossom pearly mussel |
| | Epioblasma sampsonii (I) | | Wabash riffleshell |
| | Epioblasma sulcata perobliqua (I) | | White catspaw mussel |
| | Epioblasma torulosa gubernaculum (I) | | Green-blossom pearly mussel |
| | | Epioblasma torulosa rangiana (II) | Northern riffleshell |
| | Epioblasma torulosa torulosa (I) | | Turbercled-blossom pearly mussel |
| | Epioblasma turgidula (I) | | Turgid-blossom pearly mussel |
| | Epioblasma walkeri (I) | | Tan riffleshell |
| | Fusconaia cuneolus (I) | | Fine-rayed pigtoe pearly mussel |
| | Fusconaia edgariana (I) | | Shiny pigtoe pearly mussel |
| | Lampsilis higginsii (I) | | Higgins' eye pearly mussel |
| | Lampsilis orbiculata orbiculata (I) | | Pink mucket pearly mussel |
| | Lampsilis satur (I) | | Sandback pocketbook mussel |
| | Lampsilis virescens (I) | | Alabama lamp pearly mussel |
| | Plethobasus cicatricosus (I) | | White warty-back pearly mussel |
| | | | |
| | Plethobasus cooperianus (I) | Pleurobema clava (II) | Orange-footed pimpleback mussel |
| | | | Clubshell pearly mussel |
| | Pleurobema plenum (I) | | Rough pigtoe pearly |

| Gibraltar Gazette, No. 4965, Thursday 9th June 2022 |
|---|
|---|

| | | | mussel |
|---------------------|---------------------------------------|-----------------------|---|
| | Potamilus capax (I) | | Fat pocketbook pearly mussel |
| | Quadrula intermedia (I) | | Cumberland monkey- face pearly mussel |
| | Quadrula sparsa (I) | | Appalachian monkey- face pearly mussel |
| | Toxolasma cylindrella (I) | | Pale lilliput pearly mussel |
| | Unio nickliniana (I) | | Nicklin's pearly mussel |
| | Unio tampicoensis tecomatensis (I) | | Tampico pearly mussel |
| | Villosa trabalis (I) | | Cumberland bean pearly mussel |
| VENEROIDA | | | |
| Tridacnidae | | | Giant clams |
| | | Tridacnidae spp. (II) | Giant clams |
| CEPHALOPODA | | | |
| NAUTILIDA | | | |
| Nautilidae | | | Nautilus |
| | | Nautilidae spp. (II) | Nautilus |
| GASTROPODA | | | Slugs, snails and conches |
| MESOGASTROPODA | | | |
| Strombidae | | | Conches |
| | | Strombus gigas (II) | Queen conch |
| | | | |
| STYLOMMATOPHOR A | | | |
| Achatinellidae | | | Agate snails, oahu tree snails |
| | Achatinella spp. (I) | | Little agate shells |
| Camaenidae | | | Green tree snail |
| | | Papustyla pulcherrima | Manus green tree snail |

| | | (II) | | |
|--------------|-------------------|---|---|--|
| Cepolidae | | | | |
| | Polymita spp. (I) | | | Cuban landsnails |
| | CNIDARIA (C | ORALS, FIRE CORALS, | SEA ANEMONES) | |
| ANTHOZOA | | | | Corals, sea anemones |
| ANTIPATHARIA | | ANTIPATHARIA spp. | | Black corals |
| GORGONACEAE | | (II) | | |
| Coralliidae | | | | Red and pink corals |
| | | | <i>Corallium elatius</i> (III China) | |
| | | | Corallium japonicum (III China) | |
| | | | <i>Corallium konjoi</i> (III China) | |
| | | | Corallium secundum (III China) | |
| HELIOPORACEA | | | | |
| Helioporidae | | | | Blue coral |
| | | Helioporidae spp. (II) (Includes only the species <i>Heliopora</i> <i>coerulea</i>) (⁴) | | Blue coral |
| SCLERACTINIA | | | | |
| | | SCLERACTINIA spp. (II) (4) | | Stony corals |
| STOLONIFERA | | | | |
| Tubiporidae | | Typin anida a surge (U) | | Organpipe corals |
| | | Tubiporidae spp. (II) (⁴) | | Organpipe corals |
| HYDROZOA | | | | Sea ferns, fire corals, stinging medusas |
| MILLEPORINA | | | | |
| Milleporidae | | | | Wello fire corals |

| | | Milleporidae spp. (II) (⁴) | Wello fire corals |
|----------------|-------------------------------|--|-----------------------------|
| STYLASTERINA | | | |
| Stylasteridae | | | Lace corals |
| | | Stylasteridae spp. (II) (⁴) | Lace corals |
| | | FLORA | |
| AGAVACEAE | | | Agaves |
| | Agave parviflora (I) | | Santa Cruz striped agave |
| | | Agave victoriae-reginae (II) #4 | Queen Victoria agave |
| | | Nolina interrata (II) | Dehesa bear-grass |
| | | Yucca queretaroensis (II) | Queretaro yucca |
| AMARYLLIDACEAE | | | Amaryllids |
| | | Galanthus spp. (II) #4 | Snowdrops |
| | | Sternbergia spp. (II) #4 | Sternbergias |
| ANACARDIACEAE | | | |
| | | Operculicarya decaryi (II) | Jabihy |
| | | Operculicarya hyphaenoides (II) | Jabihy |
| | | Operculicarya pachypus (II) | Tabily |
| APOCYNACEAE | | | |
| | | Hoodia spp. (II) #9 | Hoodia |
| | | Pachypodium spp. (II) (Except for the species included in Annex A) #4 | Elephant trunks |
| | Pachypodium ambongense (I) | | |
| | Pachypodium baronii (I) | | |
| | Pachypodium decaryi (I) | | |
| | | Rauvolfia serpentina (II) #2 | Snake-root devil- pepper |
| ARALIACEAE | | | Aralias |

| | | Panax ginseng (II) (Only the population of the Russian Federation; no other population is included in the Annexes to this Regulation) #3 | Asian ginseng |
|---------------|---|--|-----------------------------|
| | | Panax quinquefolius (II) #3 | American ginseng |
| ARAUCARIACEAE | | | Araucarias |
| | Araucaria araucana (I) | | Monkey-puzzle tree |
| ASPARAGACEAE | | | |
| | | Beaucarnea spp. (II) | Ponytail palm |
| BERBERIDACEAE | | | Barberries |
| | | Podophyllum hexandrum (II) #2 | Himalayan may-apple |
| BROMELIACEAE | | | Air plants, bromelias |
| | | <i>Tillandsia harrisii</i> (II) #4 | Harris' tillandsia |
| | | Tillandsia kammii (II) #4 | Kamm's tillandsia |
| | | <i>Tillandsia xerographica</i> (II) (⁵) #4 | Xerographic tillandsia |
| CACTACEAE | | | Cacti |
| | | CACTACEAE spp. (II) (Except for the species included in Annex A and Pereskia spp., Pereskiopsis spp. and Quiabentia spp.) (⁶) #4 | Cacti |
| | Ariocarpus spp. (I) | | Living rock cacti |
| | Astrophytum asterias (I) | | Star cactus |
| | Aztekium ritteri (I) | | Aztec cactus |
| | Coryphantha werdermannii (I) | | Jobali pincushion cactus |
| | Discocactus spp. (I) | | Discocacti |
| | Echinocereus ferrerianus ssp. lindsayorum (I) | | Lindsay's hedgehog cacti |

| Echinocereus schmollii (I) | | Lamb's-tail cactus |
|--|--|---|
| Escobaria minima (I) | | Nelle's cactus |
| Escobaria sneedii (I) | | Sneed's pincushion cactus |
| Mammillaria pectinifera (I) (includes ssp. solisioides) | | Conchilinque |
| Melocactus conoideus (I) | | Conelike Turk's-cap cactus |
| Melocactus deinacanthus (I) | | Wonderfully-bristled Turk's cap cactus |
| Melocactus glaucescens (I) | | Woolly waxy-stemmed Turk's-cap cactus |
| Melocactus paucispinus (I) | | Few-spined Turk's-cap cactus |
| Obregonia denegrii (I) | | Artichoke cactus |
| Pachycereus militaris (I) | | Grenadier's cap |
| Pediocactus bradyi (I) | | Brady's pincushion cactus |
| Pediocactus knowltonii (I) | | Knowlton's cactus |
| Pediocactus paradinei (I) | | Houserock valley cactus |
| Pediocactus peeblesianus (I) | | Peebles's Navajo cactus |
| Pediocactus sileri (I) | | Siler's pincushion cactus |
| Pelecyphora spp. (I) | | Pine cane cactus |
| Sclerocactus blainei (I) | | Blaine's fishhook cactus |
| Sclerocactus brevihamatus ssp. tobuschii (I) | | Tobusch fishhook cactus |
| Sclerocactus brevispinus (I) | | Pariette cactus |
| Sclerocactus cloverae (I) | | New Mexico fishhook cactus |
| Sclerocactus erectocentrus (I) | | Needle-spined pineapple cactus |
| Sclerocactus glaucus (I) | | Colorado hookless cactus |
| Sclerocactus mariposensis (I) | | Mariposa cactus |
| Sclerocactus mesae- verdae (I) | | Mesa Verde cactus |

| | Sclerocactus nyensis (I) | | Tonopah fishook cactus |
|----------------------------|---|--|--------------------------------|
| | Sclerocactus papyracanthus (I) | | Grama-grass cactus |
| | Sclerocactus pubispinus (I) | | Great-Basin fishhook cactus |
| | Sclerocactus sileri (I) | | Siler's fishhook cactus |
| | Sclerocactus wetlandicus (I) | | Unita Basin hookless cactus |
| | Sclerocactus wrightiae (I) | | Wright's fishhook cactus |
| | Strombocactus spp. (I) | | Peyote |
| | Turbinicarpus spp. (I) | | Turbinicarps |
| | Uebelmannia spp. (I) | | Uebelmann cacti |
| CARYOCARACEAE | | | Ajos |
| | | <i>Caryocar costaricense</i> (II) #4 | Ajillo |
| COMPOSITAE (ASTERACEAE) | | | Asters, daisies, costus |
| | Saussurea costus (I) (also known as S. lappa, Aucklandia lappa or A. costus) | | Costus |
| CUCURBITACEAE | | | |
| | | Zygosicyos pubescens (II) (also known as Xerosicyos pubescens) | Tobory |
| | | Zygosicyos tripartitus (II) | Betoboky |
| CUPRESSACEAE | | | Cypresses |
| | Fitzroya cupressoides (I) | | Alerce |
| | Pilgerodendron uviferum (I) | | Pilgerodendron |
| | · · · · · · · · · · · · · · · · · · · | Widdringtonia whytei (II) | Mulanje cedar |
| CYATHEACEAE | | | Tree ferns |
| | | Cyathea spp. (II) #4 | Tree ferns |
| CYCADACEAE | | | Cycads |
| | | CYCADACEAE spp. (II) (Except for | Cycads |

| Gibraltar Gazette, 1 | No. 4965, | Thursday | y 9th June 2022 |
|----------------------|-----------|----------|-----------------|
|----------------------|-----------|----------|-----------------|

| | | the species included in Annex | |
|---------------|--------------------|---|-----------------------|
| | | A) #4 | Beddome's cycad |
| | Cycas beddomei (I) | | |
| DICKSONIACEAE | | | Tree ferns |
| | | Cibotium barometz (II) #4 Dicksonia spp. (II) (Only the populations of the Americas; no other populations are included in the Annexes to this Regulation. This includes the synonyms Dicksonia berteriana, D. externa, D. sellowiana and D. stuebelii) #4 | Tree ferns |
| DIDIEREACEAE | | | Didiereas |
| | | DIDIEREACEAE spp. (II) #4 | Alluaudias, didiereas |
| DIOSCOREACEAE | | | Yams |
| | | Dioscorea deltoidea (II) #4 | Elephant's foot |
| DROSERACEAE | | | Sundews |
| | | Dionaea muscipula (II) #4 | Venus fly-trap |
| EBENACEAE | | | Ebonies |
| | | <i>Diospyros</i> spp. (II) (Only the populations of Madagascar; no other population is included in the Annexes to this Regulation) #5 | |
| EUPHORBIACEAE | | | Spurges |
| | | 83 | |

| | Euphorbia spp. (II) | Euphorbias |
|--------------------------------|--------------------------------|------------|
| | #4 (Succulent species | Luphorona |
| | only except for: | |
| | (1) Euphorbia misera; | |
| | (2) artificially | |
| | propagated | |
| | speci- mens of | |
| | cultivars of | |
| | Euphorbia | |
| | trigona; | |
| | | |
| | (3) artificially | |
| | propagated | |
| | speci- mens of | |
| | Euphorbia | |
| | lactea grafted | |
| | on artificially | |
| | propa- gated root | |
| | stock of | |
| | Euphorbia | |
| | neriifolia, | |
| | when they are: | |
| | - crested, or | |
| | — fan-shaped, | |
| | or | |
| | — colour | |
| | mutants; | |
| | , | |
| | | |
| | (4) artificially | |
| | propagated | |
| | speci- mens of | |
| | cultivars of | |
| | Euphorbia | |
| | 'Milii' when | |
| | they are: | |
| | — readily | |
| | recognisabl | |
| | _ | |
| | e as | |
| | artificially | |
| | propagated | |
| | specimens, | |
| | and | |
| | introduced | |
| | into or (re-) | |
| | exported | |
| | from the | |
| | Union in | |
| | shipments | |
| | of 100 or | |
| | more | |
| | plants; | |
| | which are not | |
| | subject to this | |
| | | |
| 1 | Regulation, and | |
| | and | |
| | | |
| | (5) the species | |
| | (5) the species included in | |
| | (5) the species | |
| Funkarkia | (5) the species included in | |
| Euphorbia | (5) the species included in | |
| Euphorbia ambovombensis (I) | (5) the species included in | |
| | (5) the species included in | |

| | capsaintemariensis (I) | | | |
|----------------|--|----------------------------------|--|--------------------|
| | <i>Euphorbia cremersii</i> (I) (Includes the forma <i>viridifolia</i> and the var. <i>rakotozafyi</i>) | | | |
| | <i>Euphorbia</i> <i>cylindrifolia</i> (I) (Includes the ssp. <i>tuberifera</i>) | | | |
| | Euphorbia decaryi (I) (Includes the vars. ampanihyensis, robinsonii and sprirosticha) | | | |
| | Euphorbia francoisii (I) | | | |
| | Euphorbia handiensis (II) | | | |
| | Euphorbia lambii (II) | | | |
| | Euphorbia moratii (I) (Includes the vars. antsingiensis, bemarahensis and multiflora) | | | |
| | Euphorbia parvicyathophora (I) | | | |
| | Euphorbia quartziticola (I) | | | |
| | Euphorbia stygiana (II) | | | |
| | Euphorbia tulearensis (I) | | | |
| FAGACEAE | | | | Beeches, oaks |
| | | | <i>Quercus mongolica</i> (III Russian Federation) #5 | Mongolian oak |
| FOUQUIERIACEAE | | | | Ocotillos, boojums |
| | | Fouquieria columnaris (II) #4 | | Boojum tree |
| | Fouquieria fasciculata (I) | (1) #4 | | Arbol del barril |
| | Fouquieria purpusii (I) | | | |
| GNETACEAE | | | | Joint firs |
| | | | Gnetum montanum (III | |

| | | | Nepal) #1 | |
|--------------|---------------------|--|---|--|
| | | | | |
| JUGLANDACEAE | | | | Walnuts, gavilan |
| | | Oreomunnea pterocarpa (II) #4 | | Gavilàn |
| LAURACEAE | | | | |
| | | Aniba rosaeodora (II) (also known as A. duckei) #12 | | Brazilian rosewood |
| LEGUMINOSAE | | | | Legumes |
| (FABACEAE) | | Dalbergia spp. (II) (Except for the species included in Annex A) #15 | | |
| | Dalbergia nigra (I) | | | Brazilian rosewood |
| | | | <i>Dipteryx panamensis</i> (III Costa Rica / Nicaragua) | Almendro |
| | | Guibourtia demeusei (II) #15 | | Red bubinga |
| | | Guibourtia pellegriniana (II) #15 | | Rose bubinga, kevazingo |
| | | Guibourtia tessmannii (II) #15 | | Rose bubinga, kevazingo |
| | | Paubrasilia echinata (II) #10 | | Brazil wood |
| | | Pericopsis elata (II) #17 | | Afrormosia |
| | | Platymiscium parviflorum (II) #4 | | Quira macawood |
| | | Pterocarpus erinaceus (II) | | African rosewood, Senegalese rosewood, kosso |
| | | Pterocarpus santalinus (II) #7 | | Red sandalwood |
| | | Pterocarpus tinctorius (II) #6 | | African padauk |
| | | Senna meridionalis (II) | | Taraby |
| LILIACEAE | | | | Lilies |
| | | <i>Aloe</i> spp. (II) (Except for the species included in Annex A and <i>Aloe</i> | | Aloes |

| | | <i>vera</i> , also known as <i>Aloe barbadensis</i> , which is not included in the Annexes) #4 | | |
|--------------|---|--|---|---------------------|
| | | | | |
| | Aloe albida (I) | | | |
| | Aloe albiflora (I) | | | |
| | Aloe alfredii (I) | | | |
| | Aloe bakeri (I) | | | |
| | Aloe bellatula (I) | | | |
| | Aloe calcairophila (I) | | | |
| | Aloe compressa (I) (Includes the vars. paucituberculata, rugosquamosa and schistophila) | | | |
| | Aloe delphinensis (I) | | | |
| | Aloe descoingsii (I) | | | |
| | Aloe fragilis (I) | | | |
| | <i>Aloe haworthioides</i> (I) (Includes the var. <i>aurantiaca</i>) | | | |
| | Aloe helenae (I) | | | |
| | <i>Aloe laeta</i> (I) (Includes the var. <i>maniaensis</i>) | | | |
| | Aloe parallelifolia (I) | | | |
| | Aloe parvula (I) | | | |
| | Aloe pillansii (I) | | | |
| | Aloe polyphylla (I) | | | |
| | Aloe rauhii (I) | | | |
| | Aloe suzannae (I) | | | |
| | Aloe versicolor (I) | | | |
| | Aloe vossii (I) | | | |
| IAGNOLIACEAE | | | | Magnolias |
| | | | Magnolia liliifera var. obovata (III Nepal) #1 | Safan |
| IALVACEAE | | | (| |
| IAL VACLAL | | Adansonia grandidieri (II) #16 | | Grandidier's baobab |

| MELIACEAE | | | | Mahoganies, cedars |
|--------------|------------------------|--|---|---------------------------------|
| | | <i>Cedrela</i> spp. (II) #6 (Populations of the Neotropics) | | Spanish cedar |
| | | Swietenia humilis (II) #4 | | Honduras mahogany |
| | | Swietenia macrophylla (II) (Population of the Neotropics - includes Central and South America and the Caribbean) #6 | | Big-leaf mahogany |
| | | Swietenia mahagoni (II) #5 | | Caribbean mahogany |
| NEPENTHACEAE | | | | Pitcher plants (old- world) |
| | | Nepenthes spp. (II) (Except for the species included in Annex A) | | Tropical pitcher plants |
| | Nepenthes khasiana (I) | #4 | | Indian pitcher plant |
| | Nepenthes rajah (I) | | | Giant tropical pitcher plant |
| OLEACEAE | | | | Olives, ashes |
| | | | <i>Fraxinus mandshurica</i> (III Russian Federation) #5 | Manchurian ash |
| | | | | |
| | | | | |
| | | | | |
| ORCHIDACEAE | | | | Orchids |

| 1 | | 1 | |
|---|---|---|-------------------------|
| | ORCHIDACEAE spp. (II) (Except for the species included in Annex A) (⁷) #4 | | Orchids |
| For all of the following Annex A orchid species, seedling or tissue cultures are not subject to this Regulation, when: — they are obtained <i>in vitro</i> , in solid or liquid media, and — meet the definition of 'artificially propagated' in accordance with Article 56 of Commission Regula- tion (EC) No | | | |
| 865/2006 (⁸), and — when introduced into or (re-) exported from the Union are trans- ported in sterile containers <i>Aerangis ellisii</i> (I) | | | |
| Cattleya jongheana (I) | | | |
| Cattleya lobata (I) | | | |
| Cephalanthera cucullata (II) | | | Hooded helleborine |
| Cypripedium calceolus (II) | | | Lady's slipper orchid |
| Dendrobium cruentum (I) | | | |
| Goodyera macrophylla (II) | | | Madeiran lady's-tresses |
| Liparis loeselii (II) | | | Fen orchid |
| Mexipedium xerophyticum (I) | | | |
| Ophrys argolica (II) | | | Eyed bee orchid |
| Ophrys lunulata (II) | | | Crescent ophrys |

| | Orchis scopulorum (II) | | | Madeiran orchid |
|----------------|--------------------------------|--|--|-----------------------------------|
| | Paphiopedilum spp. (I) | | | Asian slipper orchids |
| | Peristeria elata (I) | | | Holy ghost orchid |
| | Phragmipedium spp. (I) | | | South American slipper orchids |
| | Renanthera imschootiana (I) | | | Red vanda |
| | Spiranthes aestivalis (II) | | | Summer lady's-tresses |
| OROBANCHACEAE | | | | Broomrapes |
| | | Cistanche deserticola (II) #4 | | Desert cistanche |
| PALMAE | | | | Palms |
| (ARECACEAE) | | Beccariophoenix madagascariensis (II) #4 | | Manarano |
| | | Dypsis decaryi (II) #4 | | Triangle palm |
| | Dypsis decipiens (I) | | | Butterfly palm |
| | | Lemurophoenix | | Hovitra varimena |
| | | halleuxii (II) | Lodoicea maldivica (III Seychelles) #13 | Coco de Mer |
| | | Marojejya darianii (II) | | Ravimbe |
| | | Ravenea louvelii (II) | | Lakamarefo |
| | | Ravenea rivularis (II) | | Gora |
| | | Satranala decussilvae (II) | | Satranabe |
| | | Voanioala gerardii (II) | | Voanioala |
| PAPAVERACEAE | | | | Poppies |
| | | | <i>Meconopsis regia</i> (III Nepal) #1 | Himalayan poppy |
| PASSIFLORACEAE | | | | |
| | | Adenia firingalavensis (II) | | Bottle liana |
| | | Adenia olaboensis (II) | | Vahisasety |
| | | Adenia subsessilifolia (II) | | Katakata |

| PEDALIACEAE | | | | Pedalium family |
|---------------|------------------------------|---|---|--------------------------|
| | | Uncarina grandidieri (II) | | Uncarina |
| | | Uncarina stellulifera (II) | | Uncarina |
| PINACEAE | | | | Pine family |
| | Abies guatemalensis (I) | | | Guatemalan fir |
| | | | <i>Pinus koraiensis</i> (III Russian Federation) #5 | |
| PODOCARPACEAE | | | | Podocarps |
| | | | Podocarpus neriifolius (III Nepal) #1 | Yellow wood |
| | Podocarpus parlatorei (I) | | // 1 | Parlatore's podocarp |
| PORTULACACEAE | | | | Portulacas, purslanes |
| | | Anacampseros spp. (II) #4 | | Purslanes |
| | | Avonia spp. (II) #4 | | |
| | | Lewisia serrata (II) #4 | | Saw-toothed lewisia |
| PRIMULACEAE | | | | Primulas, cyclamens |
| | | Cyclamen spp. (II) (⁹) #4 | | Cyclamens |
| RANUNCULACEAE | | | | Buttercups |
| | | Adonis vernalis (II) #2 | | Yellow adonis |
| | | Hydrastis canadensis (II) #8 | | Golden seal |
| ROSACEAE | | | | Roses, cherries |
| | | Prunus africana (II) #4 | | African cherry |
| RUBIACEAE | | | | Ayugue |
| | Balmea stormiae (I) | | | Ayugue |

| SANTALACEAE | | | |
|------------------|--|---|------------------------------------|
| | | Osyris lanceolata (II) (Only the populations of Burundi, Ethiopia, Kenya, Rwanda, Uganda and the United Republic of Tanzania; no other population is included in the Annexes) #2 | East African sandalwood |
| SARRACENIACEAE | | | Pitcher plants (new world) |
| | | Sarracenia spp. (II) (Except for the species included in Annex A) #4 | Pitcher plants |
| | Sarracenia oreophila (I) | #4 | Green pitcher plant |
| | Sarracenia rubra ssp. alabamensis (I) | | Alabama canebrake pitcher plant |
| | Sarracenia rubra ssp. jonesii (I) | | Mountain sweet pitcher plant |
| SCROPHULARIACEAE | | | Figworts |
| | | Picrorhiza kurrooa (II) (excludes Picrorhiza scrophulariiflora) #2 | Indian gentian |
| STANGERIACEAE | | | Stangerias (cycads) |
| | | Bowenia spp. (II) #4 | Cycads |
| | Stangeria eriopus (I) | | Stangeria |
| TAXACEAE | | | Yews |
| | | <i>Taxus chinensis</i> and infraspecific taxa of this species (II) #2 | Chinese yew |
| | | <i>Taxus cuspidata</i> and infraspecific taxa of this species (II) (¹⁰) #2 | Japanese yew |
| | | <i>Taxus fuana</i> and infraspecific taxa of this species (II) #2 | Tibetan yew |
| | | <i>Taxus sumatrana</i> and infraspecific taxa of this species (II) #2 | Sumatran yew |
| | | <i>Taxus wallichiana</i> (II) #2 | Himalayan yew |

| | [| | | |
|---|-------------------------|--|--|-----------------|
| THYMELAEACEAE (AQUILARIA- CEAE) | | | | Agarwood, ramin |
| | | Aquilaria spp. (II) #14 | | Agarwood |
| | | Gonystylus spp. (II) #4 | | Ramin |
| | | Gyrinops spp. (II) #14 | | Agarwood |
| TROCHODENDRACEAE TETRA- CENTRACEAE) | | | | Tetracentrons |
| | | | Tetracentron sinense (III Nepal) #1 | |
| VALERIANACEAE | | | | Valerians |
| | | Nardostachys grandiflora (II) #2 | | |
| VITACEAE | | | | |
| | | Cyphostemma elephantopus (II) | | Lazampasika |
| | | Cyphostemma laza (II) | | Laza |
| | | Cyphostemma montagnacii (II) | | Lazambohitra |
| WELWITSCHIACEAE | | | | Welwitschias |
| | | Welwitschia mirabilis (II) #4 | | Welwitschia |
| ZAMIACEAE | | | | Cycads |
| | | ZAMIACEAE spp. (II) (Except for the species included in Annex A) #4 | | Cycads |
| | Ceratozamia spp. (I) | | | Horncones |
| | Encephalartos spp. (I) | | | Bread palms |
| | Microcycas calocoma (I) | | | Palm corcho |
| | Zamia restrepoi (I) | | | |

| ZINGIBERACEAE | | Ginger lilies |
|----------------|---|--|
| | Hedychium philippinense (II) #4 Siphonochilus aethiopicus (II) (Populations of Mozambique, Eswatini, South Africa and Zimbabwe) | Philippine garland- flower Natal ginger |
| ZYGOPHYLLACEAE | Bulnesia sarmientoi (II) #11 Guaiacum spp. (II) #2 | Lignum-vitae Holy wood Lignum-vitae |

| Annex D | Common name | |
|----------------|--|--------------------------------------|
| FAUNA | | |
| CHORDATA (CHOP | RDATES) | |
| MAMMALIA | | Mammals |
| CARNIVORA | | |
| Canidae | | Dogs, foxes, wolves |
| | Vulpes vulpes griffithi (III India) §1 | Red fox |
| | Vulpes vulpes montana (III India) §1 | Red fox |
| | Vulpes vulpes pusilla (III India) §1 | Red fox |
| Mustelidae | | Badgers, martens, weasels etc. |
| | Mustela altaica (III India) §1 | Mountain weasel |
| | Mustela erminea ferghanae (III India) §1 | Stoat |
| | Mustela kathiah (III India) §1 | Yellow-bellied weasel |
| | Mustela sibirica (III India) §1 | Siberian weasel |
| AVES | | Birds |
| ANSERIFORMES | | |
| Anatidae | | Ducks, geese, swans |
| | Anas melleri | Meller's duck |
| REPTILIA | | Reptiles |
| SAURIA | | |
| Agamidae | | |

| | Otocryptis wiegmanni | Wiegmann's Agama |
|----------------|--|--------------------------------|
| | Physignathus cocincinus | Chinese water dragon |
| Cordylidae | | Spiny-tail lizards |
| | Platysaurus imperator | Emperor flat lizard |
| Gekkonidae | | Geckos |
| | Rhacodactylus auriculatus | New Caledonia bumpy gecko |
| | Rhacodactylus ciliatus | Guichenot's giant gecko |
| | Rhacodactylus leachianus | New Caledonia giant gecko |
| | <i>Teratoscincus scincus</i> (Includes <i>Teratoscincus scincus rustamowi</i> , <i>T. s. keyserlingii</i> and <i>T. s. scincus</i>) | Common wonder gecko |
| Gerrhosauridae | | Plated lizards |
| | Tracheloptychus petersi | Malagasy plated lizard |
| | Zonosaurus karsteni | Karsten's girdled lizard |
| | Zonosaurus maximus | Southeastern girdled lizard |
| | Zonosaurus quadrilineatus | Four-lined girdled lizard |
| Scincidae | | Skinks |
| | Tribolonotus gracilis | Crocodile skink |
| | Tribolonotus novaeguineae | New Guinea helmet skink |

| SERPENTES | | |
|--------------|--|---|
| Colubridae | | Typical snakes, water snakes, whip snakes |
| | Elaphe carinata §1 | Taiwan stink snake |
| | Elaphe radiata §1 | Radiated rat snake |
| | Elaphe taeniura §1 | Taiwan beauty snake |
| | Enhydris bocourti §1 | Bocourt's water snake |
| | Homalopsis spp. §1 | Masked water snake |
| | Langaha nasuta | Northern leafnose snake |
| | Leioheterodon madagascariensis | Madagascar menarana snake |
| | Ptyas korros §1 | Indochinese rat snake |
| Hydrophiidae | | Sea snakes |
| | Lapemis curtus (Includes Lapemis hardwickii) §1 | Shaw's sea snake |
| Viperidae | | Vipers |
| | <i>Pseudocerastes</i> spp., except for the species, which is listed in Annex B | False horned vipers |
| AMPHIBIA | | |
| ANURA | | Frogs and toads |
| Bufonidae | | |

| | Atelopus spp., except for the species listed in Annex A | Harlequin toads |
|-----------------|---|---|
| Dicroglossidae | | Frogs |
| | Limnonectes macrodon | Fanged River Frog or Javan Giant Frog |
| Hylidae | | Tree frogs |
| | Phyllomedusa sauvagii | Waxy monkey tree frog |
| Leptodactylidae | | Neotropical frogs |
| | Leptodactylus laticeps | Red spotted burrow frog |
| Ranidae | | Frogs |
| | Pelophylax shqipericus | Albanian pool frog |
| CAUDATA | | |
| Hynobiidae | | Asiatic salamanders |
| | Ranodon sibiricus | Semirechensk salamander / Central Asian salamander / Siberian salamander |
| Plethodontidae | | Lungless salamanders |
| | Bolitoglossa dofleini | Giant palm salamander |
| Salamandridae | | Newts and salamanders |
| | Cynops ensicauda | Sword-tailed newt |

| | Echinotriton andersoni | Anderson's salamander |
|-----------------|-----------------------------------|-------------------------|
| | Laotriton laoensis | Paddletail newt |
| ACTINOPTERYGII | | Fish |
| PERCIFORMES | | |
| Apogonidae | | |
| | Pterapogon kauderni | Banggai cardinalfish |
| | | |
| MOLLUSCA (MOLLU | USCS) | |
| GASTROPODA | | |
| Haliotidae | | |
| | Haliotis midae | Midas ear abalone |
| FLORA | | |
| AGAVACEAE | | Agaves |
| | Dasylirion longissimum | Beargrass |
| ARACEAE | | Arums |
| | Arisaema dracontium | Green dragon |
| | Arisaema erubescens | |
| | Arisaema galeatum | |
| | Arisaema nepenthoides | |
| | Arisaema sikokianum | |
| | Arisaema thunbergii var. urashima | |
| | Arisaema tortuosum | |
| | | |

| BIGNONIACEAE | | |
|----------------------------|----------------------------|---|
| | Handroanthus spp. §5 | Trumpet trees |
| | Tabebuia spp. §5 | |
| | Roseodendron spp. §5 | |
| BURSERACEAE | | Burseras |
| | Aucoumea klaineana §5 | Gabon mahogany |
| | Boswellia spp. §4 | |
| COMPOSITAE (ASTERACEAE) | | Asters, daisies, costus |
| | Arnica montana §2 | Mountain tobacco |
| | Othonna clavifolia | |
| | Othonna herrei | |
| | Othonna retrorsa | |
| CRASSULACEAE | Rhodiola spp. §4 | Stonecrops, orpines |
| | | Roseroots, rhodiolas, golden root |
| ERICACEAE | | Heathers, rhododendrons |
| | Arctostaphylos uva-ursi §2 | Bearberry |
| GENTIANACEAE | | Gentians |
| | Gentiana lutea §2 | Great yellow gentian |
| LEGUMINOSAE | | Legumes |
| | Millettia stuhlmannii §5 | Panga-panga |
| | Pterocarpus macrocarpus §4 | Burma padauk |

| LILIACEAE | | Wakerobins |
|----------------|--------------------------------|---|
| | Trillium pusillum | Dwarf wakerobin |
| | Trillium rugelii | Ill-scented wakerobin |
| | Trillium sessile | Sessile-flowered wakerobin wood- lily |
| LYCOPODIACEAE | | Clubmosses |
| | Lycopodium clavatum §2 | Stagshorn clubmoss |
| MELIACEAE | | Mahoganies, cedars |
| | Entandrophragma cylindricum §5 | Sapele mahogany |
| | Khaya spp. §5 | African mahogany |
| MENYANTHACEAE | | Bogbeans |
| | Menyanthes trifoliata §2 | Bogbean |
| PARMELIACEAE | | Parmelioid lichens |
| | Cetraria islandica §2 | Icelandic moss |
| PASSIFLORACEAE | | Desert roses |
| | Adenia glauca | Desert rose |
| | Adenia pechuelli | Desert rose |
| PEDALIACEAE | | Sesame, devil's claw |
| | Harpagophytum spp. §2 | Devil's claw |
| SANTALACEAE | | Sandalwoods |
| | Okoubaka aubrevillei §2 | Death tree |
| SAPOTACEAE | | Sapodillas |

| | Baillonella toxisperma §5 | Moabi |
|-----------------|---------------------------|----------------------------|
| SELAGINELLACEAE | | Clubmosses, spikemosses |
| | Selaginella lepidophylla | Rose of Jericho |

- (1) Directive 2009/147/EC of the European Parliament and of the Council of 30 November 2009 on the conservation of wild birds.
- (2) Council Directive 92/43/EEC of 21 May 1992 on the conservation of natural habitats and of wild fauna and flora.

(*1) This taxon is referred to as Ovis ammon in Annex XIII to Commission Regulation (EC) No 865/2006

- (3) For the exclusive purpose of allowing international trade in fibre from vicuñas (*Vicugna vicugna*) and their derivative products, only if the fibre comes from the shearing of live vicuñas. Trade in products derived from the fibre may only take place in accordance with the following provisions:
- a) Any person or entity processing vicuña fibre to manufacture cloth and garments must request authorization from the relevant authorities of the country of origin [Countries of origin: The countries where the species occurs, that is, Argentina, Bolivia, Chile, Ecuador and Peru] to use the "vicuña country of origin" wording, mark or logo adopted by the range States of the species that are signatories to the Convention for the Conservation and Management of the Vicuña.
- b) Marketed cloth or garments must be marked or identified in accordance with the following provisions:
 - For international trade in cloth made from live-sheared vicuña fibre, whether the cloth was produced within or outside of the range States of the species, the wording, mark or logo must be used so that the country of origin can be identified. The VICUÑA [COUNTRY OF ORIGIN] wording, mark or logo has the format as detailed below:

(VICUNA[PAÍS DE ORIGEN]

This wording, mark or logo must appear on the reverse side of the cloth. In addition, the selvages of the cloth must bear the words VICUÑA [COUNTRY OF ORIGIN].

- ii) For international trade in garments made from live-sheared vicuña fibre, whether the garments were produced within or outside of the range States of the species, the wording, mark or logo indicated in paragraph b) i) must be used. This wording, mark or logo must appear on a label in the garment itself. If the garments are produced outside of the country of origin, the name of the country where the garment was produced should also be indicated, in addition to the wording, mark or logo referred to in paragraph b) i).
- c) For international trade in handicraft products made from live-sheared vicuña fibre produced within the range States of the species, the VICUÑA [COUNTRY OF ORIGIN] - ARTESANÍA wording, mark or logo must be used as detailed below:

- d) If live-sheared vicuña fibre from various countries of origin is used for the production of cloth and garments, the wording, mark or logo of each of the countries of origin of the fibre must be indicated, as detailed in paragraphs
 b) i) and ii).
- e) All other specimens shall be deemed to be specimens of species listed in Appendix I and the trade in them shall be regulated accordingly.

- (4) All species are listed in Appendix II to the Convention except Balaena mysticetus, Eubalaena spp., Balaenoptera acutorostrata (except population of West Greenland), Balaenoptera bonaerensis, Balaenoptera borealis, Balaenoptera edeni, Balaenoptera musculus, Balaenoptera omurai, Balaenoptera physalus, Megaptera novaeangliae, Orcaella brevirostris, Orcaella heinsohni, Sotalia spp., Sousa spp., Eschrichtius robustus, Lipotes vexillifer, Caperea marginata, Neophocaena asiaeorientalis, Neophocaena phocaenoides, Phocoena sinus, Physeter macrocephalus, Platanista spp., Berardius spp., Hyperoodon spp., which are listed in Appendix I. Specimens of the species listed in Appendix II to the Convention, including products and derivatives other than meat products for commercial purposes, taken by the people of Greenland under licence granted by the competent authority concerned, shall be treated as belonging to Annex B. A zero annual export quota is established for live specimens from the Black Sea population of Tursiops truncatus removed from the wild and traded for primarily commercial purposes.
- (5) Populations of Botswana, Namibia, South Africa and Zimbabwe (listed in Annex B):
- For the exclusive purpose of allowing: (a) trade in hunting trophies for non-commercial purposes; (b) trade in live animals to appropriate and acceptable destinations as defined in Resolution Conf. 11.20 (Rev. CoP18) for Botswana and Zimbabwe and for in situ conservation programmes for Namibia and South Africa; (c) trade in hides; (d) trade in hair; (e) trade in leather goods for commercial or non-commercial purposes for Botswana, Namibia and South Africa and for non-commercial purposes for Zimbabwe; (f) trade in individually marked and certified Ekipas incorporated in finished jewellery for non-commercial purposes for Namibia and ivory carvings for non-commercial purposes for Zimbabwe; (g) trade in registered raw ivory (for Botswana, Namibia, South Africa and Zimbabwe whole tusks and pieces) subject to the following: (i) only registered government-owned stocks, originating in the State (excluding seized ivory and ivory of unknown origin); (ii) only to trading partners that have been verified by the Secretariat, in consultation with the Standing Committee, to have sufficient national legislation and domestic trade controls to ensure that the imported ivory will not be re-exported and will be managed in accordance with all requirements of Resolution Conf. 10.10 (Rev. CoP18) concerning domestic manufacturing and trade; (iii) not before the Secretariat has verified the prospective importing countries and the registered government-owned stocks; (iv) raw ivory pursuant to the conditional sale of registered government-owned ivory stocks agreed at CoP12 which are 20,000 kg (Botswana), 10,000 kg (Namibia) and 30,000 kg (South Africa); (v) in addition to the quantities agreed at CoP12, governmentowned ivory from Botswana, Namibia, South Africa and Zimbabwe registered by 31 January 2007 and verified by the Secretariat may be traded and despatched, with the ivory in paragraph (g)(iv) above in a single sale per destination under strict supervision of the Secretariat; (vi) the proceeds of the trade are used exclusively for elephant conservation and community conservation and development programmes within or adjacent to the elephant range; and (vii) the additional quantities specified in paragraph (g)(v) above shall be traded only after the Standing Committee has agreed that the above conditions have been met; (h) no further proposals to allow trade in elephant ivory from populations already in Annex B shall be submitted to the Conference of the Parties for the period from CoP14 and ending nine years from the date of the single sale of ivory that is to take place in accordance with provisions in paragraphs (g)(i), (g)(ii), (g)(iii), (g)(vi), and (g)(vii). In addition, such further proposals shall be dealt with in accordance with Decisions 14.77 and 14.78 (Rev. CoP15). On a proposal from the Secretariat, the Standing Committee can decide to cause this trade to cease partially or completely in the event of non-compliance by exporting or importing countries, or in the case of proven detrimental impacts of the trade on other elephant populations. All other specimens shall be deemed to be specimens of species included in Annex A and the trade in them shall be regulated accordingly.

(6) The following are not subject to the provisions of this Regulation:

Fossils;

Coral sand, that is to say, material consisting entirely or in part of finely crushed fragments of dead coral no larger than 2 mm in diameter, not identifiable to the level of genus, and which may also contain, amongst other things, the remains of Foraminifera, mollusc and crustacean shell, and coralline algae;

Coral fragments (including gravel and rubble), that is to say, unconsolidated fragments of broken finger-like dead coral and other material between 2 and 30 mm measured in any direction, not identifiable to the level of genus.

(7) Trade of specimens with source code A is allowed only if specimens traded possess cataphylls.

(8) Artificially propagated specimens of the following hybrids and/or cultivars are not subject to the provisions of this Regulation: Hatiora x graeseri Schlumbergera x buckleyi Schlumbergera russelliana x Schlumbergera truncata Schlumbergera orssichiana x Schlumbergera truncata Schlumbergera opuntioides x Schlumbergera truncata Schlumbergera truncata (cultivars) Cactaceae spp. colour mutants grafted on the following grafting stocks: Harrisia 'Jusbertii', Hylocereus trigonus or Hylocereus undatus Opuntia microdasys (cultivars)

(9) Artificially propagated hybrids of *Cymbidium*, *Dendrobium*, *Phalaenopsis* and *Vanda* are not subject to the provisions of this Regulation, when specimens are readily recognizable as artificially propagated and do not show any signs of having been collected in the wild such as mechanical damage or strong dehydration resulting from collection, irregular growth and heterogeneous size and shape within a taxon and shipment, algae or other epiphyllous organisms adhering to leaves, or damage by insects or other pests; and

(a) when shipped in non flowering state, the specimens must be traded in shipments consisting of individual containers (such as cartons, boxes, crates or individual shelves of CC-containers) each containing 20 or more plants of the same hybrid; the plants within each container must exhibit a high degree of uniformity and healthiness; and the shipment must be accompanied by documentation, such as an invoice, which clearly states the number of plants of each hybrid; or

(b) when shipped in flowering state, with at least one fully open flower per specimen, no minimum number of specimens per shipment is required but specimens must be professionally processed for commercial retail sale, e.g. labelled with printed labels or packaged with printed packages indicating the name of the hybrid and the country of final processing. This should be clearly visible and allow easy verification.

Plants not clearly qualifying for the exemption must be accompanied by appropriate CITES documents.

(10) Commission Regulation (EC) No 865/2006 of 4 May 2006 laying down detailed rules concerning the implementation of Council Regulation (EC) No 338/97 on the protection of species of wild fauna and flora by regulating trade therein (OJ L 166, 19.6.2006, p. 1).

(11) Artificially propagated specimens of cultivars of *Cyclamen persicum* are not subject to the provisions of this Regulation. However, the exemption does not apply to such specimens traded as dormant tubers.

(12) Artificially propagated hybrids and cultivars of *Taxus cuspidata*, live, in pots or other small containers, each consignment being accompanied by a label or document stating the name of the taxon or taxa and the text 'artificially propagated', are not subject to the provisions of this Regulation.

Dated: 9th June 2022.

PROF J CORTES, Minister with responsibility for the Environment.

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations implement changes to Appendix III to the Convention on International Trade in Endangered Species of Wild Fauna and Flora which were notified to parties to the Convention on 15 March 2022 (Notification No. 2022/014) which take effect on 13th June 2021 and the changes which were notified to the parties to the Convention on 24 March 2022 (Notification No.2022/019) which take effect on 22 June 2022.

These Regulations also make some further minor amendments to Annexes A to C to move the *Euplepharidae* section to the *Gekkonidae* section to reflect current standard nomenclature, and reflect COP 18 amendments to certain listings in Annex A – a change from *Prionailurus iriomotensis* in Annex A to *Prionailurus bengalensis euptilurus*, and the listing of *Agalychnis* spp. in Annex B into a listing of *Agalychnis annae*, *A. callidryas*, *A. moreletii*, *A. saltator* and *A. spurrelli, as well as a* change in the listing of the family Pristidae so that it falls under the order *Rhinopristiformes. Lophura hatinhsensis* is also deleted from Annex B as it is treated as *L.edwardsi*. The Regulations amend Annex D following consultation with the Scientific Authority.

For clarity, it is appropriate to replace the Annex in its entirety.